



SCREW DRIVER BIT

HOME SOON
ENTERPRISE CORPORATION LIMITED

Catalog 2013

www.homesoon.com.tw
www.hs-handtool.com.tw





President Family

Established in 1982 at the mid-section of Taiwan, Home Soon Enterprise Co., Ltd. began by manufacturing forged sockets for the hand tool industry. Early success led to expansion into the growing market for screwdriver bits. By 1985, Home Soon manufactured bits that met the German DIN standard, a level of quality recognized across the globe. We currently produce over 15 million quality bits each month, allowing us to provide our customers excellent service worldwide.

Today, our production capability includes sockets, wrenches, screwdriver bits and hand tool sub-accessories. The large number of products we manufacturer have been combined into at least 800 different tool sets for use by professional and do-it-yourself alike.

Quality is essential and Home Soon uses the most up to date American, German and Japanese made testing equipment to test for hardness, torque, tool life and other measures to ensure that our production meets the high quality standards our customers demand.

You are welcome to contact us at our email:
home.soon@msa.hinet.net
www.homesoon.com.tw



Company Travel



Company Travel




Company Travel

SCREW DRIVER BIT Production Processes




Coil




Acid Treated




Cutting



Lathe shaping



CNC




Plating



Sand Blasted



Heat Treatment



Marking




Milling






BITS & SOCKETS

Function



BITS & SOCKETS

Function





Phillips Bit	01	Impact Driver Bit	12
PZ Bit	02	Phillips Anti-Slip Bit	13
Slotted Bit	03	PZ Anti-Slip Bit	13
Star Bit	04	Slotted Anti-Slip Bit	14
Hex Bit	05	Drywall Anti-Slip Bit	14
Square Bit	06	Bit Holder	15
SPH Bit	07	Super Magnetic Bit Holder	15
Security Star Bit	07	Quick Release Bit Holder	16
Security X-Set	07	Magnetic Nut Setter	17
Security Hex Bit	08	Nut Setter	18
Security Spanner	08	Drill Bit	19
Security Y-Wing	08	Power Screwdriver Accessories	20
Clutch Bit	11	Packaging Details	22
Drywall Bit	11	Bit Set	23-26
Bit Within Limits	11	Screwdriver Bit Set in Box	27-31



Screwdriver Bit Set in Blister Card	32-36
Screwdriver Bit & Bit Set	37-40
Phillips Socket Bit & w/Plastic Holder	41
PZ Socket Bit & w/Plastic Holder	41
Slotted Socket Bit & w/Plastic Holder	42
Star Socket Bit & w/Plastic Holder	43
Hex Socket Bit & w/Plastic Holder	44
6pt Flank Socket	45
6pt Flank Socket w/Plastic Holder	46
6pt Flank Deep Socket w/Plastic Holder	47
1/2" Dr. Impact Socket & w/Plastic Holder	48
3/4" Dr. Impact Socket & w/Plastic Holder	49
3/4" Dr. (12pt) Socket & w/Plastic Holder	50
E Socket	51
Ratchet Handle	52

Socket & Socket Bit	53
Sliding T-Handle	55
Extension Bar	55
Socket Adapter	55
Spark Plug Socket	55
Universal Joint	56
Bit Adapter	56
Adapter for Extension	56
Flexible Extension	56
Socket Set & Ratchet Handle w/Plastic Holder	57
Socket Set	58-64
Pliers With Spring Action	65-68



1/4" Hex Insert Bit



Point No.	Item No.	Length
PZ0	8250	25mm
PZ1	8251	25mm
PZ2	8252	25mm
PZ3	8253	25mm
PZ4	8254	25mm

Point No.	Item No.	Length
PZ0	8300	30mm
PZ1	8301	30mm
PZ2	8302	30mm
PZ3	8303	30mm
PZ4	8304	30mm

1/4" Hex Power Bit



Point No.	Item No.	Length
PZ0	8500	50mm
PZ1	8501	50mm
PZ2	8502	50mm
PZ3	8503	50mm
PZ4	8504	50mm
Point No.	Item No.	Length
PZ0	81000	100mm
PZ1	81001	100mm
PZ2	81002	100mm
PZ3	81003	100mm
PZ4	81004	100mm

Point No.	Item No.	Length
PZ0	8750	75mm
PZ1	8751	75mm
PZ2	8752	75mm
PZ3	8753	75mm
PZ4	8754	75mm
Point No.	Item No.	Length
PZ0	81500	150mm
PZ1	81501	150mm
PZ2	81502	150mm
PZ3	81503	150mm
PZ4	81504	150mm

1/4" Hex Round Shank Bit



Point No.	Item No.	Length
PZ0	8500R	50mm
PZ1	8501R	50mm
PZ2	8502R	50mm
PZ3	8503R	50mm
Point No.	Item No.	Length
PZ0	8750R	75mm
PZ1	8751R	75mm
PZ2	8752R	75mm
PZ3	8753R	75mm

Point No.	Item No.	Length
PZ0	81000R	100mm
PZ1	81001R	100mm
PZ2	81002R	100mm
PZ3	81003R	100mm
Point No.	Item No.	Length
PZ0	81500R	150mm
PZ1	81501R	150mm
PZ2	81502R	150mm
PZ3	81503R	150mm

Double End Bit



Point No.	Item No.	Length	Item No.	Length	Item No.	Length	Item No.	Length	Item No.	Length
PZ1	8451D	45mm	8501D	50mm	8651D	65mm	81101D	110mm	81501D	150mm
PZ2	8452D	45mm	8502D	50mm	8652D	65mm	81102D	110mm	81502D	150mm
PZ3	8453D	45mm	8503D	50mm	8653D	65mm	81103D	110mm	81503D	150mm
PZ4	8454D	45mm	8504D	50mm	8654D	65mm	81104D	110mm	81504D	150mm

Remark: 1. 6150-Chrome Vanadium Steel, $52 \pm 2^\circ$ HRC
 S2 Steel $59 \pm 2^\circ$ HRC, V5 (BT9865V) $61 \pm 2^\circ$ HRC
 2. Finished: Sand Blasted / Black / Brass / Silver / Titanium
 3. Welcome Any Own Design.



1/4" Hex Insert Bit



Point No.	Item No.	Length
SL3(1/8")	72503	25mm
SL4(5/32")	72504	25mm
SL4.5	72545	25mm
SL5(3/16")	72505	25mm
SL5.5	72555	25mm
SL6	72506	25mm
SL6.5(1/4")	72565	25mm
SL7(9/32")	72507	25mm
SL8	72508	25mm

Point No.	Item No.	Length
SL3(1/8")	73003	30mm
SL4(5/32")	73004	30mm
SL4.5	73045	30mm
SL5(3/16")	73005	30mm
SL5.5	73055	30mm
SL6	73006	30mm
SL6.5(1/4")	73065	30mm
SL7(9/32")	73007	30mm
SL8	73008	30mm

1/4" Hex Power Bit



Point No.	Item No.	Length
SL3	75003	50mm
SL4	75004	50mm
SL4.5	75045	50mm
SL5	75005	50mm
SL5.5	75055	50mm
SL6	75006	50mm
SL6.5	75065	50mm
SL7	75007	50mm
SL8	75008	50mm

Point No.	Item No.	Length
SL3	77503	75mm
SL4	77504	75mm
SL4.5	77545	75mm
SL5	77505	75mm
SL5.5	77555	75mm
SL6	77506	75mm
SL6.5	77565	75mm
SL7	77507	75mm
SL8	77508	75mm

Point No.	Item No.	Length
SL3	71003	100mm
SL4	71004	100mm
SL5	71005	100mm
SL6	71006	100mm
SL7	71007	100mm

Point No.	Item No.	Length
SL3	71503	150mm
SL4	71504	150mm
SL5	71505	150mm
SL6	71506	150mm
SL7	71507	150mm

1/4" Hex Round Shank Bit



Point No.	Item No.	Length
SL3	7503R	50mm
SL4	7504R	50mm
SL5	7505R	50mm
SL6	7506R	50mm

Point No.	Item No.	Length
SL3	7753R	75mm
SL4	7754R	75mm
SL5	7755R	75mm
SL6	7756R	75mm

Point No.	Item No.	Length
SL3	71503R	150mm
SL4	71504R	150mm
SL5	71505R	150mm
SL6	71506R	150mm

Double End Bit



Point No.	Item No.	Length	Item No.	Length	Item No.	Length	Item No.	Length	Item No.	Length
SL3	7453D	45mm	7503D	50mm	7653D	65mm	71103D	110mm	71503D	150mm
SL4	7454D	45mm	7504D	50mm	7654D	65mm	71104D	110mm	71504D	150mm
SL5	7455D	45mm	7505D	50mm	7655D	65mm	71105D	110mm	71505D	150mm
SL6	7456D	45mm	7506D	50mm	7656D	65mm	71106D	110mm	71506D	150mm

Remark: 1. S.A.E and Metric Size Both are Available.
6150-Chrome Vanadium Steel, 52 \pm 2° HRC
S2 Steel 59 \pm 2° HRC, V5 (BT9865V) 61 \pm 2° HRC
2. Finished: Sand Blasted / Black / Brass / Silver / Titanium
3. Welcome Any Own Design.



1/4" Hex Insert Bit



Point No.	Item No.	Length
T6	62506	25mm
T7	62507	25mm
T8	62508	25mm
T9	62509	25mm
T10	62510	25mm
T15	62515	25mm
T20	62520	25mm
T25	62525	25mm
T27	62527	25mm
T30	62530	25mm
T40	62540	25mm
T45	62545	25mm
T50	62550	25mm

Point No.	Item No.	Length
T10	63010	30mm
T15	63015	30mm
T20	63020	30mm
T25	63025	30mm
T30	63030	30mm
T40	63040	30mm
T45	63045	30mm

1/4" Hex Power Bit



Point No.	Item No.	Length
T6	65006	50mm
T7	65007	50mm
T8	65008	50mm
T9	65009	50mm
T10	65010	50mm
T15	65015	50mm

Point No.	Item No.	Length
T20	65020	50mm
T25	65025	50mm
T27	65027	50mm
T30	65030	50mm
T40	65040	50mm
T45	65045	50mm
T50	65050	50mm

Point No.	Item No.	Length
T10	611010	110mm
T15	611015	110mm
T20	611020	110mm
T25	611025	110mm
T30	611030	110mm
T40	611040	110mm

1/4" Hex Round Shank Bit



Point No.	Item No.	Length
T10	65010R	50mm
T15	65015R	50mm
T20	65020R	50mm
T25	65025R	50mm
T27	65027R	50mm
T30	65030R	50mm

Point No.	Item No.	Length
T10	67510R	75mm
T15	67515R	75mm
T20	67520R	75mm
T25	67525R	75mm
T30	67530R	75mm

Point No.	Item No.	Length
T15	612015R	120mm
T20	612020R	120mm
T25	612025R	120mm
T30	612030R	120mm

Remark: 1. 6150-Chrome Vanadium Steel, 52 \pm 2° HRC
 S2 Steel 59 \pm 2° HRC, V5 (BT9865V) 61 \pm 2° HRC
 2. Finished: Sand Blasted / Black / Brass / Silver / Titanium
 3. Welcome Any Own Design.



1/4" Hex Insert Bit



Point No.	Item No.	Length
H1.5	52515	25mm
H2	52502	25mm
H2.5	52525	25mm
H3	52503	25mm
H4	52504	25mm
H5	52505	25mm
H5.5	52555	25mm
H6	52506	25mm
H7	52507	25mm
H8	52508	25mm

Point No.	Item No.	Length
H1.5	53015	30mm
H2	53002	30mm
H2.5	53025	30mm
H3	53003	30mm
H4	53004	30mm
H5	53005	30mm
H5.5	53055	30mm
H6	53006	30mm
H7	53007	30mm
H8	53008	30mm

1/4" Hex Power Bit



Point No.	Item No.	Length
H1.5	55015	50mm
H2	55002	50mm
H2.5	55025	50mm
H3	55003	50mm
H4	55004	50mm

Point No.	Item No.	Length
H5	55005	50mm
H5.5	55055	50mm
H6	55006	50mm
H7	55007	50mm
H8	55008	50mm

1/4" Hex Round Shank Bit



Point No.	Item No.	Length
H2	55002R	50mm
H2.5	55025R	50mm
H3	55003R	50mm

Point No.	Item No.	Length
H4	55004R	50mm
H5	55005R	50mm

Double End Bit



Point No.	Item No.	Length
H2	56502D	65mm
H2.5	56525D	65mm
H3	56503D	65mm

Point No.	Item No.	Length
H4	56504D	65mm
H5	56505D	65mm

Remark: 1. 6150-Chrome Vanadium Steel, 52 \pm 2 \pm HRC
 S2 Steel 59 \pm 2 \pm HRC, V5 (BT9865V) 61 \pm 2 \pm HRC
 2. Finished: Sand Blasted / Black / Brass / Silver / Titanium
 3. Welcome Any Own Design.

**1/4" Hex Insert Bit**

Point No.	Item No.	Length
R0	4250	25mm
R1	4251	25mm
R2	4252	25mm
R3	4253	25mm

Point No.	Item No.	Length
R0	4300	30mm
R1	4301	30mm
R2	4302	30mm
R3	4303	30mm

1/4" Hex Power Bit

Point No.	Item No.	Length
R0	4500	50mm
R1	4501	50mm
R2	4502	50mm
R3	4503	50mm

Point No.	Item No.	Length
R0	4750	75mm
R1	4751	75mm
R2	4752	75mm
R3	4753	75mm

Point No.	Item No.	Length
R0	41500	150mm
R1	41501	150mm
R2	41502	150mm
R3	41503	150mm

1/4" Hex Round Shank Bit

Point No.	Item No.	Length
R0	4500R	50mm
R1	4501R	50mm
R2	4502R	50mm
R3	4503R	50mm

Point No.	Item No.	Length
R0	4750R	75mm
R1	4751R	75mm
R2	4752R	75mm
R3	4753R	75mm

Point No.	Item No.	Length
R1	41501R	150mm
R2	41502R	150mm
R3	41503R	150mm

2 In 1 Square Bit

Point No.	Item No.	Length
R0	R4250	25mm
R1	R4251	25mm
R2	R4252	25mm
R3	R4253	25mm

Point No.	Item No.	Length
R0	R4500	50mm
R1	R4501	50mm
R2	R4502	50mm
R3	R4503	50mm

Point No.	Item No.	Length
R0	R4750	75mm
R1	R4751	75mm
R2	R4752	75mm
R3	R4753	75mm

Point No.	Item No.	Length
R0	R41500	150mm
R1	R41501	150mm
R2	R41502	150mm
R3	R41503	150mm

Remark: 1. 6150-Chrome Vanadium Steel, 52 \pm 2 $^{\circ}$ HRC
 S2 Steel 59 \pm 2 $^{\circ}$ HRC, V5 (BT9865V) 61 \pm 2 $^{\circ}$ HRC
 2. Finished: Sand Blasted / Black / Brass / Silver / Titanium
 3. Welcome Any Own Design.

**1/4" Hex Insert Bit**

Point No.	Item No.	Length
SPH1	12251	25mm
SPH2	12252	25mm
SPH3	12253	25mm

**1/4" Hex Power Bit**

Point No.	Item No.	Length
SPH1	12501	50mm
SPH2	12502	50mm
SPH3	12503	50mm



SECURITY STAR BIT

1/4" Hex Insert Bit

Point No.	Item No.	Length
T7	62507S	25mm
T8	62508S	25mm
T9	62509S	25mm
T10	62510S	25mm
T15	62515S	25mm
T20	62520S	25mm



Point No.	Item No.	Length
T25	62525S	25mm
T27	62527S	25mm
T30	62530S	25mm
T40	62540S	25mm
T45	62545S	25mm
T50	62550S	25mm

1/4" Hex Power Bit

Point No.	Item No.	Length
T7	65007S	50mm
T8	65008S	50mm
T9	65009S	50mm
T10	65010S	50mm
T15	65015S	50mm
T20	65020S	50mm



Point No.	Item No.	Length
T25	65025S	50mm
T30	65030S	50mm
T40	65040S	50mm
T45	65045S	50mm
T50	65050S	50mm

1/4" Hex Round Shank Bit

Point No.	Item No.	Length
T10	65010SR	50mm
T15	65015SR	50mm
T20	65020SR	50mm



Point No.	Item No.	Length
T25	65025SR	50mm
T27	65027SR	50mm
T30	65030SR	50mm



FIVE POINTED STAR TAMPER

1/4" Hex Insert Bit

Point No.	Item No.	Length
ST10	1662510	25mm
ST15	1662515	25mm
ST20	1662520	25mm



Point No.	Item No.	Length
ST25	1662525	25mm
ST27	1662527	25mm
ST30	1662530	25mm

Remark: 1. 6150-Chrome Vanadium Steel, 52'± 2' HRC, S2 Steel 59'± 2' HRC, V5 (BT9865V) 61'± 2' HRC
 2. Finished: Sand Blasted / Black / Brass / Silver / Titanium
 3. Welcome Any Own Design.



1/4" Hex Insert Bit

Point No.	Item No.	Length
H2.5	52525S	25mm
H3	52503S	25mm
H4	52504S	25mm
H5	52505S	25mm
H5.5	52555S	25mm
H6	52506S	25mm



1/4" Hex Power Bit

Point No.	Item No.	Length
H2.5	55025S	50mm
H3	55003S	50mm
H4	55004S	50mm



Point No.	Item No.	Length
H5	55005S	50mm
H5.5	55055S	50mm
H6	55006S	50mm

1/4" Hex Round Shank Bit

Point No.	Item No.	Length
H2.5	55025SR	50mm
H3	55003SR	50mm



Point No.	Item No.	Length
H4	55004SR	50mm
H5	55005SR	50mm



SECURITY SPANNER

1/4" Hex Insert Bit

Point No.	Item No.	Length
4	32504	25mm
6	32506	25mm
8	32508	25mm
10	32510	25mm



1/4" Hex Round Shank Bit

Point No.	Item No.	Length
4	35004	50mm
6	35006	50mm
8	35008	50mm
10	35010	50mm



SECURITY Y-WING

1/4" Hex Insert Bit

Point No.	Item No.	Length
1	1251	25mm
2	1252	25mm
3	1253	25mm
4	1254	25mm



1/4" Hex Round Shank Bit

Point No.	Item No.	Length
1	1501	50mm
2	1502	50mm
3	1503	50mm
4	1504	50mm



SECURITY X-SET

1/4" Hex Insert Bit

Point No.	Item No.	Length
6	22506	25mm
8	22508	25mm
10	22510	25mm



1/4" Hex Round Shank Bit

Point No.	Item No.	Length
6	25006	50mm
8	25008	50mm
10	25010	50mm



HOME SOON

VARIES COLORED



Rainbow-Ti

A Special finished of titanium plating 77-90 HRC
Excellent effect of anti-rust

HOME  SOON

UNIQUE PRODUCTS





1/4" Hex Insert Bit



Point No.	Item No.	Length
1	0251	25mm
2	0252	25mm
3	0253	25mm
4	0254	25mm



DRYWALL BIT



1/4" Hex Insert Bit

Point No.	Item No.	Length
DRYWALL 2	1392502	25mm
DRYWALL 2	1393802	38mm



1/4" Hex Power Bit

Point No.	Item No.	Length
DRYWALL 2	1395002	50mm



BIT WITHIN LIMITS



Point No.	Item No.	Length
PH2	11252	25mm



Point No.	Item No.	Length
PH2	11502	50mm



IMPACT DRIVER BIT

Hex 10m/m Ribe Bit



Point No.	Item No.	Length
RM7	1503007	30mm
RM8	1503008	30mm
RM9	1503009	30mm
RM10	1503010	30mm
RM12	1503012	30mm


Point No.	Item No.	Length
RM7	1507507	75mm
RM8	1507508	75mm
RM9	1507509	75mm
RM10	1507510	75mm
RM12	1507512	75mm

Remark: 1. 6150-Chrome Vanadium Steel, 52 ± 2 ° HRC
 S2 Steel 59 ± 2 ° HRC, V5 (BT9865V) 61 ± 2 ° HRC
 2. Finished: Sand Blasted / Black / Brass / Silver / Titanium
 3. Welcome Any Own Design.

Hex 8m/m Phillips Bit



Point No.	Item No.	Length
PH2	1493602	36mm
PH3	1493603	36mm



Point No.	Item No.	Length
PH2	1498002	80mm
PH3	1498003	80mm

Hex 8m/m Slotted Bit



Point No.	Item No.	Length
SL8	1473608	36mm
SL10	1473610	36mm



Point No.	Item No.	Length
SL8	1478008	80mm
SL10	1478010	80mm

Hex 10m/m Spline Bit



Point No.	Item No.	Length
M5	153005	30mm
M6	153006	30mm
M8	153008	30mm
M10	153010	30mm
M12	153012	30mm



Point No.	Item No.	Length
M5	157505	75mm
M6	157506	75mm
M8	157508	75mm
M10	157510	75mm
M12	157512	75mm

Hex 10m/m Hex Bit



Point No.	Item No.	Length
H4	1553004	30mm
H5	1553005	30mm
H6	1553006	30mm
H7	1553007	30mm
H8	1553008	30mm
H10	1553010	30mm
H12	1553012	30mm



Point No.	Item No.	Length
H4	1557504	75mm
H5	1557505	75mm
H6	1557506	75mm
H7	1557507	75mm
H8	1557508	75mm
H10	1557510	75mm
H12	1557512	75mm

Hex 10m/m Star Bit



Point No.	Item No.	Length
T20	1563020	30mm
T25	1563025	30mm
T30	1563030	30mm
T40	1563040	30mm
T45	1563045	30mm
T50	1563050	30mm
T55	1563055	30mm



Point No.	Item No.	Length
T20	1567520	75mm
T25	1567525	75mm
T30	1567530	75mm
T40	1567540	75mm
T45	1567545	75mm
T50	1567550	75mm
T55	1567555	75mm

Remark: 1. 6150-Chrome Vanadium Steel, 52 \pm 2 $^{\circ}$ HRC
 S2 Steel 59 \pm 2 $^{\circ}$ HRC, V5 (BT9865V) 61 \pm 2 $^{\circ}$ HRC
 2. Finished: Sand Blasted / Black / Brass / Silver / Titanium
 3. Welcome Any Own Design.



1/4" Hex Insert Bit



Point No.	Item No.	Length
PH0	FA9250	25mm
PH1	FA9251	25mm
PH2	FA9252	25mm

Point No.	Item No.	Length
PH3	FA9253	25mm
PH4	FA9254	25mm

1/4" Hex Power Bit



Point No.	Item No.	Length
PH0	FA9500	50mm
PH1	FA9501	50mm
PH2	FA9502	50mm

Point No.	Item No.	Length
PH3	FA9503	50mm
PH4	FA9504	50mm

1/4" Hex Round Shank Bit



Point No.	Item No.	Length
PH0	FA9500R	50mm
PH1	FA9501R	50mm

Point No.	Item No.	Length
PH2	FA9502R	50mm
PH3	FA9503R	50mm

Double End Bit



Point No.	Item No.	Length
PH1	FA9651D	65mm
PH2	FA9652D	65mm

Point No.	Item No.	Length
PH3	FA9653D	65mm



PZ *Anti-slip Bit*

1/4" Hex Insert Bit



Point No.	Item No.	Length
PZ0	FA8250	25mm
PZ1	FA8251	25mm
PZ2	FA8252	25mm

Point No.	Item No.	Length
PZ3	FA8253	25mm
PZ4	FA8254	25mm

1/4" Hex Power Bit



Point No.	Item No.	Length
PZ0	FA8500	50mm
PZ1	FA8501	50mm
PZ2	FA8502	50mm

Point No.	Item No.	Length
PZ3	FA8503	50mm
PZ4	FA8504	50mm

1/4" Hex Round Shank Bit



Point No.	Item No.	Length
PZ0	FA8500R	50mm
PZ1	FA8501R	50mm

Point No.	Item No.	Length
PZ2	FA8502R	50mm
PZ3	FA8503R	50mm

Remark: 1. S2 Steel 56 \pm 2° HRC
2. Finished: Sand Blasted / Black / Brass / Silver / Titanium
3. Welcome Any Own Design.

**1/4" Hex Insert Bit**

Point No.	Item No.	Length
SL3	FA72503	25mm
SL4	FA72504	25mm
SL4.5	FA72545	25mm
SL5	FA72505	25mm

Point No.	Item No.	Length
SL5.5	FA72555	25mm
SL6	FA72506	25mm
SL7	FA72507	25mm
SL8	FA72508	25mm

1/4" Hex Power Bit

Point No.	Item No.	Length
SL3	FA75003	50mm
SL4	FA75004	50mm
SL4.5	FA75045	50mm
SL5	FA75005	50mm

Point No.	Item No.	Length
SL5.5	FA75055	50mm
SL6	FA75006	50mm
SL7	FA75007	50mm
SL8	FA75008	50mm

1/4" Hex Round Shank Bit

Point No.	Item No.	Length
SL3	FA75003R	50mm
SL4	FA75004R	50mm
SL4.5	FA75045R	50mm

Point No.	Item No.	Length
SL5	FA75005R	50mm
SL5.5	FA75055R	50mm
SL6	FA75006R	50mm

**DRYWALL** *Anti-slip Bit***1/4" Hex Insert Bit**

Point No.	Item No.	Length
DRYWALL 2	FA1392502	25mm

1/4" Hex Power Bit

Point No.	Item No.	Length
DRYWALL 2	FA1395002	50mm

Remark: 1. S2 Steel 56° ± 2° HRC
 2. Finished: Sand Blasted / Black / Brass / Silver / Titanium
 3. Welcome Any Own Design.

BIT HOLDER

EXTENSION FOR INSERT BIT

Magnetic Insert Bit Holder

Item No.	Diameter	Length	Hex. Size
BHB20060	10mm	60mm	1/4"
BHB20075	10mm	75mm	1/4"
BHB20100	10mm	100mm	1/4"



Inserting: Chrome Vanadium Steel
Sleeve: Zinc, with Chrome Plated

Magnetic Insert Bit Holder with "C" Ring

Item No.	Diameter	Length	Hex. Size
BHS21060	11mm	60mm	1/4"
BHS21075	11mm	75mm	1/4"
BHS21100	11mm	100mm	1/4"



Inserting: Chrome Vanadium Steel
Sleeve: Stainless Steel

Magnetic Insert Bit Holder with "C" Ring

Item No.	Diameter	Length	Hex. Size
BHS11054	11mm	54mm	1/4"
BHS11060	11mm	60mm	1/4"
BHS11075	11mm	75mm	1/4"
BHS11100	11mm	100mm	1/4"
BHS11150	11mm	150mm	1/4"



Full Body: Stainless Steel

Magnetic Insert Bit Holder with Cap

Item No.	Diameter	Length	Hex. Size
BHS11054C	11mm	54mm	1/4"
BHS11075C	11mm	75mm	1/4"
BHS11100C	11mm	100mm	1/4"



Full Body: Stainless Steel

SDS Bit Holder with "C" Ring

Length	Hex. Size
55mm	1/4"



SDS Bit Holder with Magnetic

Length	Hex. Size
80mm	1/4"



SUPER MAGNETIC BIT HOLDER

Super Magnetic Bit Holder

Item No.	Length	Hex. Size
SMGA31060	60mm	1/4"
SMGA31075	75mm	1/4"
SMGA31150	150mm	1/4"



Screw Depth Adjustable

Quick Release Bit Holder

Item No.	Length	Hex. Size
QKSR21060	60mm	1/4"
QKSR21075	75mm	1/4"



Quick Release Bit Holder

Item No.	Length	Hex. Size
QKSB21060	60mm	1/4"
QKSB21075	75mm	1/4"



Quick Release Bit Holder

Item No.	Length	Hex. Size
QKB11060	60mm	1/4"
QKB11075	75mm	1/4"
QKB11150	150mm	1/4"



Quick Release Bit Holder

Item No.	Length	Hex. Size
QKD10050	50mm	1/4"
QK10050	50mm	1/4"



For Double Ended Bits




For 25mm Bits



Double Magnetic Bit Holder

Item No.	Length	Hex. Size
DM21060	65mm	1/4"



Finder Driver

Item No.	Length	Hex. Size
15082	80mm	1/4"
15120	120mm	1/4"



H 1/4" Magnetic Nut Setter



Item No.	Length	Size
NS0645M	45mm	6
NS0745M	45mm	7
NS0845M	45mm	8
NS1045M	45mm	10
NS1145M	45mm	11
NS1245M	45mm	12
NS1345M	45mm	13

Item No.	Length	Size
NS01445M	45mm	1/4"
NS51645M	45mm	5/16"
NS03845M	45mm	3/8"
NS71645M	45mm	7/16"
NS01245M	45mm	1/2"

H 1/4" Magnetic Nut Setter



Item No.	Length	Size
NS0665M	65mm	6
NS0765M	65mm	7
NS0865M	65mm	8
NS1065M	65mm	10
NS1165M	65mm	11
NS1265M	65mm	12
NS1365M	65mm	13

Item No.	Length	Size
NS1465M	65mm	14
NS1765M	65mm	17
NS01465M	65mm	1/4"
NS51665M	65mm	5/16"
NS03865M	65mm	3/8"
NS71665M	65mm	7/16"
NS01265M	65mm	1/2"

H 1/4" Magnetic Nut Setter



Item No.	Length	Size
NS06150M	150mm	6
NS08150M	150mm	8
NS10150M	150mm	10
NS11150M	150mm	11

Item No.	Length	Size
NS014150M	150mm	1/4"
NS516150M	150mm	5/16"
NS038150M	150mm	3/8"
NS716150M	150mm	7/16"

H 1/4" Spring Nut Driver

Remark: For Stainless, Titanium and Coating Screws



Item No.	Length	Size
SND0665	65mm	6
SND0765	65mm	7
SND0865	65mm	8
SND1065	65mm	10
SND1265	65mm	12

Item No.	Length	Size
SND01465	65mm	1/4"
SND51665	65mm	5/16"
SND03865	65mm	3/8"
SND71665	65mm	7/16"
SND01265	65mm	1/2"

H 1/4" Spring Nut Driver

Remark: For Stainless, Titanium and Coating Screws



Item No.	Length	Size
SND0645	45mm	6
SND0745	45mm	7
SND0845	45mm	8

Item No.	Length	Size
SND1045	45mm	10
SND1245	45mm	12

Indicate blister card packaging

H 1/4" SDS Magnetic Nut Setter



Item No.	Length	Size
SDS0865	65mm	8
SDS1065	65mm	10

Item No.	Length	Size
SDS1265	65mm	12
SDS1365	65mm	13

Spring Sheet Nut Setter



Remark: For Stainless, Titanium and Coating Screws

Item No.	Length	Size
NSS0665	65mm	6
NSS0865	65mm	8


Item No.	Length	Size
NSS1065	65mm	10
NSS1365	65mm	13



Lotus Driver



Wing Nut Driver



12 Points

Packaging Details



Item No.	Length	Size
NS0645MB	45mm	6
NS0745MB	45mm	7
NS0845MB	45mm	8
NS1045MB	45mm	10
NS1145MB	45mm	11
NS1245MB	45mm	12

Item No.	Length	Size
NS01445MB	45mm	1/4"
NS51645MB	45mm	5/16"
NS03845MB	45mm	3/8"
NS71645MB	45mm	7/16"
NS01245MB	45mm	1/2"

Packaging Details



Item No.	Length	Size
NS0665MB	65mm	6
NS0765MB	65mm	7
NS0865MB	65mm	8
NS1065MB	65mm	10
NS1165MB	65mm	11
NS1265MB	65mm	12

Item No.	Length	Size
NS01465MB	65mm	1/4"
NS51665MB	65mm	5/16"
NS03865MB	65mm	3/8"
NS71665MB	65mm	7/16"
NS01265MB	65mm	1/2"

695-3Pcs



24(sets)



96(sets), 10(kgs), 11(kgs), 0.8'

Specifications

65mm x 6mm (or 1/4" x 65mm) x 1Pcs

65mm x 8mm (or 5/16" x 65mm) x 1Pcs

65mm x 10mm (or 3/8" x 65mm) x 1Pcs



74899B-8Pcs

8Pcs Nut Driver Packaging
5, 6, 7, 8, 9, 10, 11, 13mm 25/100/14/15.4/1.6'



244A-8Pcs

7Pcs Nut Driver Packaging
5, 6, 7, 8, 9, 10, 11mm 10/50/8.5/9.8/1.51'
1Pcs Double End Bit PH2-SL6
Plastic Box X 1Pcs



DRILL BIT

Step Drill Bit



Masonry Drill Bit



HSS Titanium Drill Bit



Star Allen Key



Easy Chuck



268E Easy Chuck for Drill 0.5~6.5mm

12(sets) 144(sets), 14.5(kgs), 16.2(kgs), 1.9'

268C Easy Chuck for Drill 2~6mm

24(sets) 144(sets), 12(kgs), 13(kgs), 1.4'

268D Easy Chuck for Drill 1~3mm

24(sets) 144(sets), 6.32(kgs), 7.32(kgs), 0.66'

Wood Working Drill Bit



Hex Key



Security Allen Key






268B Easy Chuck for Bit 1/4"

24(sets)



96(sets), 5.4(kgs), 6(kgs), 0.6'



268A

268A Mag. Screw Depth Setter



Socket Adapter

	Length	Hex Size.
	25mm	1/4"
	50mm	1/4"



Power Extension Bar

Size	Length	Hex Size.
1/2"	73mm	1/4"
3/8"	65mm	1/4"
1/4"	65mm	1/4"

1/2"



3/8"



1/4"



SDS Adapter

Size	Length	Hex Size.
1/2"	65mm	10ø
3/8"	60mm	10ø



Power Bit with Finder Sleeve

Item No.	Length	Size
13505	50mm	6-8(5mm)
13506	50mm	8-10(6mm)
13507	50mm	10-12(7mm)
1390014	90mm	1/4"
1390516	90mm	5/16"



1468 Eye Lag Driver

Item	Diameter	Length	Hex Size.
1468	14mm	68mm	1/4"



Y-Type Driver



HOME  SOON



220-108Pcs



24(sets), 15.5(kgs), 16.5(kgs), 0.75'

Specifications

Point No./ Size

- | | | |
|---|-------|-------------------------------------|
| + | 18Pcs | PH1, 2, 3 |
| — | 18Pcs | SL5, 6, 7mm |
| * | 36Pcs | T10, T15, T20, T25, T30, T40 |
| ○ | 36Pcs | H2, 2.5, 3, 4, 5, 6mm(or free size) |



835



S002



S001S



S001M



807-10PCS



817-31PCS



A214S-10PCS



A214M-10PCS



A214L-10PCS



A167-110



A167-65



A035-110



A035-75



A035-65

Pouch Bag

388A-10Pcs

20(sets)



80(sets), 11(kgs), 12(kgs), 1.2'

Specifications	Point No./ Size	Length
++ 2Pcs	PH2 x PH2	110mm
++ 2Pcs	PH2 x PH2	45mm
++ 2Pcs	PH1 x PH1	65mm
+- 2Pcs	PH2 x SL4	65mm
+ 2Pcs	PH2 (Round Shank)	110mm



Belt Clip

410-4Pcs

24(sets)



96(sets), 5.8(kgs), 6.8(kgs), 0.38'

Specifications	Point No./ Size	Length
+ 2Pcs	PH2, 3 x H5/16"	36mm
- 2Pcs	SL8, 10 x H5/16"	36mm



411-4Pcs

24(sets)



96(sets), 12.7(kgs), 13.3(kgs), 0.43'

Specifications	Point No./ Size	Length
+ 2Pcs	PH2 x H5/16"	80mm
+ 2Pcs	PH3 x H5/16"	80mm



412-7Pcs

10(sets)



120(sets), 15.5(kgs), 16.5(kgs), 1.85'

Specifications	Point No./ Size	Length
+ 2Pcs	PH1, 2	25mm
* 2Pcs	PZ1, 2	25mm
- 2Pcs	SL4.5, 7	25mm
1Pcs Stubby Ratchet Handle		



415-3Pcs

24(sets)



96(sets), 10(kgs), 11(kgs), 0.8'

Specifications	Point No./ Size	Length
H1/4" x 1/4"		65mm
H1/4" x 3/8"		65mm
H1/4" x 1/2"		73mm



420-33Pcs

12(sets)



72(sets), 18.8(kgs), 19.8(kgs), 1.28'

Specifications	Point No./ Size	Length
⊕ 9Pcs	T8H, T10H, T15H, T20H, T25H, T27H, T30H, T35H, T40H	25mm
⊙ 6Pcs	5/64", 3/32", 7/64", 1/8", 9/64", 5/32"	25mm
⊕ 3Pcs	6, 8, 10	25mm
⊙ 4Pcs	4, 6, 8, 10	25mm
⊙ 4Pcs	1, 2, 3, 4	25mm
⊙ 6Pcs	2, 2.5, 3, 4, 5, 6mm	25mm
1Pcs Magnetic Bit Holder		60mm



421-33Pcs

12(sets)



72(sets), 18.8(kgs), 19.8(kgs), 1.28'

Specifications	Point No./ Size	Length
5Pcs	SL3, 4, 5, 6, 7mm	25mm
8Pcs	PH#0x1, #1x2, #2x3, #3x2	25mm
7Pcs	PZ#1x2, #2x3, #3x2	25mm
6Pcs	H2, 2.5, 3, 4, 5, 6	25mm
6Pcs	T10, 15, 20, 25, 30, 40	25mm
1Pcs	Magnetic Bit Holder	60mm



479-7Pcs

24(sets)



144(sets), 7.8(kgs), 8.8(kgs), 0.7'

Specifications	Point No./ Size	Length
7Pcs	T10H, T15H, T20H, T25H, T27H, T30H, T40H,	25mm
1Pcs	Plastic Bit Holder	



534-6Pcs

10(sets)



100(sets), 12.3(kgs), 14(kgs), 1.34'

Specifications	Point No./ Size	Length
2Pcs	PH2 x PH2	65mm / 110mm
1Pcs	PH2 x SL6	65mm
2Pcs	PH1, 2 (Round Shank)	100mm



Belt Clip

535-11Pcs

10(sets)



50(sets), 14.5(kgs), 15.5(kgs), 0.9'

Specifications	Point No./ Size	Length
6Pcs	PH2 x PH2	65mmx2Pcs / 110mmx2Pcs / 150mmx2Pcs
4Pcs	PH2 (Round Shank)	110mmx2Pcs / 150mmx2Pcs



Belt Clip

536-11Pcs

10(sets)



100(sets), 17.5(kgs), 18.5(kgs), 1.44'

Specifications	Point No./ Size	Length
5Pcs	PH2 x PH2	45mmx2Pcs / 65mmx2Pcs / 110mmx1Pcs
1Pcs	PH3 x PH3	65mm
1Pcs	PH1 x PH1	65mm
1Pcs	PH2 x SL6	65mm
1Pcs	PH1 (Round Shank)	100mm
1Pcs	PH2 (Round Shank)	100mm



Belt Clip

544D-6Pcs



12(sets)



72(sets), 7(kgs), 7.8(kgs), 0.54'

Specifications

Socket: 1/4", 5/16", 11/32", 3/8" (6, 8, 9, 10mm)

Square: 3/16", 1/4"



737-2Pcs



20(sets)



120(sets), 13.5(kgs), 14.5(kgs), 1.43'

Specifications

Point No./ Size


Length

1Pcs 12" Driver Flexible Shaft

+ 1Pcs PH 2 50mm



74829-10Pcs



24(sets)



144(sets), 9(kgs), 10(kgs), 0.61'

Specifications

Point No./ Size

Length

+ 6Pcs PH1, 2 x 2Pcs, 3 x 3Pcs

25mm

- 4Pcs SL3, 4, 5, 6 (1/8", 5/32", 3/16", 1/4")

25mm



74839A-10Pcs



20(sets)



120(sets), 17.3(kgs), 18.3(kgs), 1.1'

Specifications

Point No./ Size

Length

+ 3Pcs PH1, 2, 3

50mm

- 4Pcs SL4, 5, 6, 7

50mm


* 3Pcs PZ1, 2, 3

50mm



Belt Clip

74849A-10Pcs



12(sets)



72(sets), 21(kgs), 22(kgs), 1.1'

Specifications

Point No./ Size

Length

+ + 10Pcs PH2 x PH2 (or Free Size)

110mm



Belt Clip

74859A-10Pcs



12(sets)



96(sets), 15.5(kgs), 16.5(kgs), 1.1'

Specifications

Point No./ Size

Length

+ + 10Pcs PH2 x PH2 (or Free Size)


65mm



Belt Clip



74869A-2Pcs



Specifications	Point No./ Size	Length
⊕ 2Pcs	PH2+SL6 (Double End or Free Size)	65mm




75069-2Pcs



Specifications	Point No./ Size	Length
⊕ 1Pcs	PH1+SL5 (or Free Size)	50mm
⊕ 1Pcs	PH2+SL6 (or Free Size)	50mm



75089-5Pcs




Specifications	Point No./ Size	Length
⊕ 3Pcs	PH1 x 2Pcs (Round Shank), PH2 x 1Pcs (Round Shank),	75mm
⊖ 1Pcs	SL3/16" (Round Shank)	75mm
⊖ 1Pcs	SL1/4"	75mm



753-5Pcs



Specifications	Point No./ Size	Length
⊕ 3Pcs	PH0, 1, 2	25mm
⊖ 2Pcs	SL5, 6 (3/16", 1/4")	25mm



(or Free Size)



754-5Pcs



Specifications	Point No./ Size	Length
⊕ 3Pcs	PH0, 1, 2	50mm
⊖ 2Pcs	SL5, 6 (3/16", 1/4")	50mm



(or Free Size)



755-8Pcs




Specifications	Point No./ Size	Length
⊕ 3Pcs	PH1, 2, 3	30mm
⊖ 4Pcs	SL4, 5, 6, 7 (5/32", 3/16", 1/4", 9/32")	30mm
1Pcs	Socket 6mm (1/4")	
1Pcs Plastic Holder		




757-20Pcs



Specifications	Point No./ Size	Length
⊕ 3Pcs	PH1, 2, 3	25mm
⊖ 4Pcs	SL4, 5, 6, 7 (5/32", 3/16", 1/4", 9/32")	25mm
⊕ 6Pcs	T10, T15, T20, T25, T30, T40	25mm
⊖ 7Pcs	H2, 2.5, 3, 4, 5, 6, 8 (5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16")	25mm
1Pcs Plastic Bit Holder		



781-3Pcs



Specifications	Point No./ Size	Length
⊕ 1Pcs	PH2	25mm
⊖ 1Pcs	SL6	25mm
1 Pcs Flexible Extension Bar		300mm



196-16Pcs



24(sets), 14.9(kgs), 15.9(kgs), 0.82'

Specifications	Pcs	Point No./ Size	Length
	7Pcs	T20, T25, T30, T40, T45, T50, T55	75mm
	7Pcs	T20, T25, T30, T40, T45, T50, T55	30mm
Bit Adapter	1Pcs	1/2" x H10	

Metal Case



196A-16Pcs



24(sets), 16.3(kgs), 17.3(kgs), 0.82'

Specifications	Pcs	Point No./ Size	Length
	7Pcs	H4, 5, 6, 7, 8, 10, 12	75mm
	7Pcs	H4, 5, 6, 7, 8, 10, 12	30mm
Bit Adapter	1Pcs	1/2" x H10	

Metal Case



196B-11Pcs



24(sets), 14.5(kgs), 15.5(kgs), 0.82'

Specifications	Pcs	Point No./ Size	Length
	5Pcs	M5, 6, 8, 10, 12	75mm
	5Pcs	M5, 6, 8, 10, 12	30mm
Bit Adapter	1Pcs	1/2" x H10	

Metal Case



196C-16Pcs



24(sets), 14.4(kgs), 15.4(kgs), 1.1'

Specifications	Point No./ Size	Length
7Pcs	T20, T25, T30, T40, T45, T50, T55	30mm
7Pcs	T20, T25, T30, T40, T45, T50, T55	75mm
Bit Adapter x 1Pcs	1/2" x H10	

Blow Case



196D-16Pcs



24(sets), 15.4(kgs), 16.4(kgs), 1.1'

Specifications	Point No./ Size	Length
7Pcs	H4, 5, 6, 7, 8, 10, 12	30mm
7Pcs	H4, 5, 6, 7, 8, 10, 12	75mm
Bit Adapter x 1Pcs	1/2" x H10	

Blow Case



196E-11Pcs



24(sets), 12.3(kgs), 13.3(kgs), 1.1'

Specifications	Point No./ Size	Length
5Pcs	M5, 6, 8, 10, 12	30mm
5Pcs	M5, 6, 8, 10, 12	75mm
Bit Adapter x 1Pcs	1/2" x H10	

Blow Case



196F-11Pcs



25(sets), 12.9(kgs), 13.5(kgs), 1.14'

Specifications	Point No./ Size	Length
5Pcs	RIBE 7, 8, 9, 10, 12mm	30mm
5Pcs	RIBE 7, 8, 9, 10, 12mm	75mm
Bit Adapter x 1Pcs	1/2" x H10	



Blow Case

204-40Pcs



10(sets), 18.14(kgs), 19.14(kgs), 0.7'

Specifications	Point No./ Size	Length
7Pcs	H4, 5, 6, 7, 8, 10, 12mm	30mm
7Pcs	H4, 5, 6, 7, 8, 10, 12mm	75mm
7Pcs	T20, T25, T30, T40, T45, T50, T55	30mm
7Pcs	T20, T25, T30, T40, T45, T50, T55	75mm
5Pcs	M5, 6, 8, 10, 12mm	30mm
5Pcs	M5, 6, 8, 10, 12mm	75mm
Bit Adapter x 2Pcs	1/2", 3/8" x H10	



Metal Case

204A-40Pcs



10(sets), 18(kgs), 19(kgs), 0.7'

Specifications	Point No./ Size	Length
7Pcs	H4, 5, 6, 7, 8, 10, 12mm	30mm
7Pcs	H4, 5, 6, 7, 8, 10, 12mm	75mm
7Pcs	T20, T25, T30, T40, T45, T50, T55	30mm
7Pcs	T20, T25, T30, T40, T45, T50, T55	75mm
5Pcs	M5, 6, 8, 10, 12mm	30mm
5Pcs	M5, 6, 8, 10, 12mm	75mm
Bit Adapter x 2Pcs	1/2", 3/8" x H10	



Blow Case

204C-42Pcs



10(sets), 18(kgs), 19(kgs), 0.7'

Specifications	Point No./ Size	Length
7Pcs	H4, 5, 6, 7, 8, 10, 12mm	30mm
7Pcs	H4, 5, 6, 7, 8, 10, 12mm	75mm
8Pcs	T20, T25, T30, T40, T45, T50, T55, T60	30mm
8Pcs	T20, T25, T30, T40, T45, T50, T55, T60	75mm
5Pcs	M5, 6, 8, 10, 12mm	30mm
5Pcs	M5, 6, 8, 10, 12mm	75mm
Bit Adapter x 2Pcs	1/2", 3/8" x H10	



Metal Case

253G-7Pcs



50(sets), 10.2(kgs), 11(kgs), 0.8'

Specifications	Point No./ Size	Length
6Pcs	T20, T25, T30, T40, T45, T50	30mm
Bit Adapter x 1Pcs	1/2" x H10	



Blow Case

253H-6Pcs



50(sets), 10(kgs), 10.8(kgs), 0.8'

Specifications	Point No./ Size	Length
5Pcs	M5, 6, 8, 10, 12	30mm
Bit Adapter x 1Pcs	1/2" x H10	



Blow Case

253J-7Pcs



50(sets), 10.8(kgs), 11.6(kgs), 0.8'

Specifications	Point No./ Size	Length
6Pcs	H4, 5, 6, 7, 8, 10	30mm
Bit Adapter x 1Pcs	1/2" x H10	



Blow Case

253J-5Pcs



50(sets), 10.8(kgs), 11.6(kgs), 0.8'

Specifications	Point No./ Size	Length
6Pcs	RIBE 7, 8, 9, 10, 12	30mm
Bit Adapter x 1Pcs	1/2" x H10	



Blow Case

377-29Pcs



6(sets) 24(sets), 13(kgs), 14(kgs), 1.86'

Specifications	Point No./ Size	Length
2Pcs	PH1, 2	30mm
2Pcs	SL5.5, 7	30mm
5Pcs	T10, T15, T20, T25, T30	30mm
8Pcs 1/4" Dr. Socket	5, 5.5, 6, 7, 8, 10, 12, 13	
Hex Key 7Pcs	1.5, 2, 2.5, 3, 4, 5, 6	
Socket Adapter		30mm
Magnetic Bit Holder x 1Pcs		60mm
Plastic Bit Holder	1Pcs	
Plastic Hex Kit Holder	1Pcs	
Precision Screwdriver	2Pcs	
Stubby Ratchet Screwdriver	1Pcs	



378-32Pcs



6(sets) 24(sets), 13.5(kgs), 14.5(kgs), 1.86'

Specifications	Point No./ Size	Length
4Pcs	PH0, 1, 2, 3	30mm
3Pcs	SL4, 5, 6	30mm
6Pcs	T10, T15, T20, T25, T27, T30	30mm
7Pcs	1.5, 2, 2.5, 3, 4, 5, 6	30mm
10Pcs 1/4" Dr. Socket	4.5, 5, 5.5, 6, 7, 8, 10, 12, 13, 14mm	
Magnetic Bit Holder x 1Pcs	60mm	
Ratchet Screwdriver	1Pcs	
Plastic Bit Holder	2Pcs	



506-31Pcs



6(sets) 24(sets), 12.4(kgs), 13.4(kgs), 1.86'

Specifications	Point No./ Size	Length
4Pcs	PH0, 1, 2, 3	25mm
2Pcs	SL5, 6	25mm
6Pcs	H1.5, 2, 2.5, 3, 4, 5	25mm
4Pcs	10, 15, 20, 25	25mm
10Pcs 1/4" Dr. Socket	4.5, 5, 5.5, 6, 7, 8, 10, 12, 13, 14mm	25mm
Magnetic Bit Holder x 1Pcs	60mm	
Socket Adapter x 1Pcs	25mm	
Stubby Ratchet Screwdriver	1Pcs	
Mini Ratchet Screwdriver	1Pcs	
Plastic Bit Holder	1Pcs	





728-31Pcs



24(sets), 11.5(kgs), 12(kgs), 1.1'

Specifications	Point No./ Size	Length
⊕ 1Pcs	PH1(Round Shank)	65mm
⊖ 1Pcs	SL5(Round Shank)	65mm
⊙ 1Pcs	H4(Round Shank)	65mm
⊕ 5Pcs	PH0, 1, 2, 3, 4	25mm
⊖ 5Pcs	SL3, 4, 5, 6, 7	25mm
⊙ 6Pcs	T10, T15, T20, T25, T30, T40	25mm
⊗ 2Pcs	PZ1, 2	25mm
⊙ 3Pcs	R1, 2, 3	25mm
⊙ 5Pcs	H3, 4, 5, 6, 7(1/8", 5/32", 3/16", 7/32")	25mm
Socket Adapter x 1Pcs		25mm
Magnetic Screwdriver x 1Pcs		



759-100Pcs



20(sets), 14.2(kgs), 14.7(kgs), 0.94'

Specifications	Point No./ Size	Length
⊕ 8Pcs	PH0, 1, (2x5), 3	25mm
⊖ 9Pcs	SL3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8	25mm
⊗ 8Pcs	PZ0, 1, (2x5), 3	25mm
⊕ 9Pcs	T8, T10, T15, T20, T25, T27, T30, T40, T45	25mm
⊕ 9Pcs	T8, T10, T15, T20, T25, T27, T30, T35, T40	25mm
⊙ 9Pcs	H1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8mm	25mm
⊙ 10Pcs	H 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"(sae)	25mm
⊙ 6Pcs	2, 2.5, 3, 4, 5, 6mm	25mm
⊙ 6Pcs	5/64", 3/32", 7/64", 1/8", 9/64", 5/32"(sae)	25mm
⊙ 4Pcs	R 0, 1, 2, 3	25mm
⊙ 3Pcs	1, 2, 3	25mm
⊕ 3Pcs	6, 8, 10	25mm
⊙ 4Pcs	1, 2, 3, 4	25mm
⊙ 3Pcs	5, 6, 8	25mm
⊙ 4Pcs	4, 6, 8, 10	25mm
Socket Adapter x 2Pcs		25/50mm
Bit Adapter x1Pcs		
Y-Type Driver x1Pcs		
Magnetic Bit Holder x1Pcs		60mm



759A-101Pcs



20(sets), 15.5(kgs), 16(kgs), 0.94'

Specifications	Point No./ Size	Length
⊕ 8Pcs	PH0, 1, (2x5), 3	25mm
⊖ 9Pcs	SL3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8	25mm
⊗ 8Pcs	PZ0, 1, (2x5), 3	25mm
⊕ 9Pcs	T8, T10, T15, T20, T25, T27, T30, T40, T45	25mm
⊕ 9Pcs	T8, T10, T15, T20, T25, T27, T30, T35, T40,	25mm
⊙ 9Pcs	H1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8mm	25mm
⊙ 10Pcs	H 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	25mm
⊙ 6Pcs	H 2, 2.5, 3, 4, 5, 6mm	25mm
⊙ 6Pcs	H 5/64", 3/32", 7/64", 1/8", 9/64", 5/32"	25mm
⊙ 4Pcs	R 0, 1, 2, 3	25mm
⊙ 3Pcs	1, 2, 3	25mm
⊕ 3Pcs	6, 8, 10	25mm
⊙ 4Pcs	1, 2, 3, 4	25mm
⊙ 3Pcs	5, 6, 8	25mm
⊙ 4Pcs	4, 6, 8, 10	25mm
Socket Adapter x 2Pcs		25/50mm
Bit Adapter x 1Pcs		
Y-Type Driver x 1Pcs		
Screwdriver x 1Pcs		
Magnetic Bit Holder x 1Pcs		60mm



Blow Case

Indicate blister card packaging

800-17Pcs

12(sets) 72(sets), 16(kgs), 17.5(kgs), 1.6'

Specifications	Point No./ Size	Length
4Pcs	PH 0, 1, 2, 3	25mm
3Pcs	SL 4, 5.5, 7	25mm
3Pcs	T10, 15, 20	25mm
5Pcs 1/4" Dr. Socket	5.5, 6, 7, 8, 10	
Bit Adapter x 1Pcs		
L Type Driver x 1Pcs		



801-21Pcs

12(sets) 72(sets), 13(kgs), 14.5(kgs), 1.6'

Specifications	Point No./ Size	Length
4Pcs	PH 1, 2x2PCS, 3	25mm
3Pcs	SL 5, 6, 7	25mm
4Pcs	PZ 1, 2x2PCS, 3	25mm
6Pcs	T10, 15, 20, 25, 27, 30	25mm
3Pcs	H 3, 4, 5	25mm
Magnetic Bit Holder x 1Pcs		60mm



802-11Pcs

12(sets) 72(sets), 10.2(kgs), 11.7(kgs), 1.6'

Specifications	Point No./ Size	Length
3Pcs	PH 0, 1, 2	25mm
2Pcs	SL 4, 5	25mm
3Pcs	T10, 15, 20	25mm
2Pcs	H 3, 4	
Magnetic Screwdriver x 1Pcs		



803-13Pcs

12(sets) 72(sets), 17(kgs), 18.5(kgs), 1.6'

Specifications	Point No./ Size
11Pcs 1/4" Dr. Socket	4, 4.5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13
L Type Driver x 1Pcs	



212-7Pcs

24(sets) 144(sets), 16(kgs), 17(kgs), 1.7'

Specifications	Point No./ Size	Length
2Pcs	PH1, 2	25mm
2Pcs	SL4.5, 7	25mm
2Pcs	PZ1, 2	25mm
Magnetic Bit Holder x 1Pcs		60mm



215B-11Pcs

24(sets) 96(sets), 13.5(kgs), 14.5(kgs), 1'

Specifications	Point No./ Size	Length
2Pcs	PH1, 2	30mm
2Pcs	SL5, 7	30mm
2Pcs	PZ1, 2	30mm
4Pcs	H3, 4, 5, 6	30mm
Mini Ratchet Screwdriver x 1Pcs		



Indicate blister card packaging

215C-17Pcs  24(sets)  72(sets), 17.5(kgs), 18.5(kgs), 1.47'

Specifications	Point No./ Size	Length
⊕ 2Pcs	PH1, 2	30mm
⊖ 2Pcs	SL5, 7	30mm
✱ 2Pcs	PZ1, 2	30mm
⦿ 4Pcs	H3, 4, 5, 6	30mm
🔧 6Pcs 1/4" Dr. Socket	6, 7, 8, 9, 10, 11	
Mini Ratchet Screwdriver x 1Pcs		




215D-11Pcs  24(sets)  96(sets), 13.5(kgs), 14.5(kgs), 1'

Specifications	Point No./ Size	Length
⊕ 2Pcs	PH1, 2	30mm
⊖ 2Pcs	SL5, 7	30mm
✱ 2Pcs	PZ1, 2	30mm
⦿ 4Pcs	H3, 4, 5, 6	30mm
Mini Ratchet Screwdriver x 1Pcs		



241M  24(sets)  144(sets), 13.5(kgs), 14.5(kgs), 1.6'



270A-5Pcs  25(sets)  100(sets), 14.2(kgs), 15.5(kgs), 1.6'

Specifications	Point No./ Size	Length
⊕ 2Pcs	PH 1, 2	25mm
⊖ 2Pcs	SL 4, 6	25mm
Stubby Ratchet Screwdriver x 1Pcs		



316A-7Pcs  10(sets)  50(sets), 7(kgs), 8(kgs), 1.1'

Specifications	Point No./ Size	Length
⊕ 3Pcs	PH 1, 2, 3	25mm
⊖ 3Pcs	SL 4, 5, 6	25mm
T-Style Ratchet Screwdriver x 1Pcs		



360-5Pcs  10(sets)  60(sets), 14(kgs), 15(kgs), 1.9'

Specifications	Point No./ Size	Length
🔧 3Pcs 1/4" Dr. Socket	7mm, 1/4", 5/16"	
Socket Adapter x 1Pcs		25mm
150 Flexible Screwdriver x 1Pcs		



372-16Pcs  24(sets)  144(sets), 15(kgs), 16(kgs), 1.5'

Specifications	Point No./ Size	Length
⊕ 16Pcs	T8, 9, 10, 15, 20, 25, 30, 40 x 2Pcs	25mm
Plastic Bit Holder x 1Pcs		



405-8Pcs

24(sets)



72(sets), 14.3(kgs), 15.8(kgs), 1.85'

Specifications	Point No./ Size	Length
2Pcs	PH 1, 2	25mm
2Pcs	SL 5, 7	25mm
2Pcs	T15, 20	25mm
Cushion Handle Screwdriver x 1Pcs		
Plastic Bit Holder x 1Pcs		



392-1Pcs

24(sets)



48(sets), 7.8(kgs), 8.8(kgs), 0.87'

Specifications	Pcs	Point No./ Size
Flexible Screwdriver	1Pcs	7mm



417-1Pcs

24(sets)



48(sets), 7.8(kgs), 8.8(kgs), 0.87'

Specifications	Pcs	Point No./ Size
Flexible Screwdriver	1Pcs	7mm



480-9Pcs

10(sets)



100(sets), 16(kgs), 17(kgs), 1.3'

Specifications	Pcs	Point No./ Size	Length
+	1Pcs	PH1+SL4	38mm
+	1Pcs	PH2+SL5	38mm
+	1Pcs	PH3+SL6	38mm
*	1Pcs	PZ1+H4	38mm
*	1Pcs	PZ2+H5	38mm
*	1Pcs	PZ3+H6	38mm
*	1Pcs	T15+T20	38mm
L Type Screwdriver Holder			1Pcs
Plastic Belt Clip Bit Holder			1Pcs



481-12Pcs

24(sets)



96(sets), 14(kgs), 15(kgs), 0.83'

Specifications	Pcs	Point No./ Size	Length
+	2Pcs	PH 1, 2	30mm
-	2Pcs	SL 5, 7	30mm
*	2Pcs	PZ1, 2	30mm
0	4Pcs	H3, 4, 5, 6	30mm
L Type Screwdriver Handle			1Pcs
Bit Plastic Holder			1Pcs



566A-12Pcs

12(sets)



72(sets), 19.8(kgs), 20.8(kgs), 2.6'

Specifications	Pcs	Point No./ Size	Length
+	2Pcs	PH 1, 2	30mm
-	2Pcs	SL 5, 7	30mm
*	2Pcs	PZ 1, 2	30mm
0	4Pcs	H 3, 4, 5, 6	30mm
Stubby Ratchet Screwdriver			1Pcs
190mm Flexible Extension			1Pcs
Plastic Bit Holder			1Pcs



579-3Pcs

24(sets)



144(sets), 17(kgs), 19(kgs), 2.43'

Specifications	Point No./ Size	Length
⊕ 1Pcs	PH1+SL4	30mm
⊖ 1Pcs	PH2+SL6	30mm

Ratchet Screwdriver x 1Pcs



579A-13Pcs

12(sets)



72(sets), 14(kgs), 15(kgs), 1.54'

Specifications	Point No./ Size	Length
⊕ 2Pcs	PH1, 2	30mm
⊖ 2Pcs	SL5, 7	30mm
⊗ 2Pcs	PZ1, 2	30mm
⊙ 4Pcs	H3, 4, 5, 6	30mm
⊕ 1Pcs	PH1+SL4	30mm
⊖ 1Pcs	PH2+SL6	30mm

Ratchet Screwdriver x 1Pcs



602-8Pcs

10(sets)



50(sets), 8.2(kgs), 9.2(kgs), 1.1'

Specifications	Point No./ Size	Length
⊕ 3Pcs	PH1, 2, 3	25mm
⊖ 3Pcs	SL4, 5, 6	25mm
Wrench x 1Pcs	8x10 or 10x11	
T-Style Ratchet Screwdriver x 1Pcs		



648-8Pcs

24(sets)



96(sets), 18(kgs), 19(kgs), 1.94'

Specifications	Point No./ Size	Length
⊕ 3Pcs	PH1, 2, 3	25mm
⊖ 2Pcs	SL4.5, 7	25mm
⊗ 2Pcs	T15, 20	25mm
Ratchet Screwdriver x 1Pcs		



736-6Pcs

25(sets)



100(sets), 14.2(kgs), 15.4(kgs), 1.4'

Specifications	Point No./ Size	Length
⊕ 2Pcs	PH2, 3	25mm
⊖ 2Pcs	SL5, 7	25mm
⊙ 1Pcs	H4	25mm
Ratchet Screwdriver x 1Pcs		



736A-7Pcs

25(sets)



100(sets), 15.2(kgs), 16.3(kgs), 1.4'

Specifications	Point No./ Size	Length
⊕ 2Pcs	PH2, 3	25mm
⊖ 2Pcs	SL5, 7	25mm
⊙ 1Pcs	H4	25mm
Ratchet Screwdriver x 1Pcs		
Wrench x 1Pcs	8, 10	



736B-10 in 1

25(sets)



100(sets), 14.2(kgs), 15.5(kgs), 1.6'

Specifications	Point No./ Size	Length
⊕ 2Pcs	PH2, 3	25mm
⊖ 2Pcs	SL5, 7	25mm
⊙ 1Pcs	H4	25mm
Ratchet Screwdriver x 1Pcs		
Wrench x 1Pcs	6, 8, 10, 11	



783B-12Pcs

12(sets)



72(sets), 15(kgs), 16.4(kgs), 1.35'

Specifications	Point No./ Size	Length
2 Pcs	PH1, 2	30mm
2 Pcs	SL5, 7	30mm
4 Pcs	H3, 4, 5, 6	30mm
2 Pcs	PZ1, 2	30mm
Ratchet Driver w/Disc x 1Pcs		
Magnetic Bit Holder x 1Pcs		60mm



822-14Pcs

12(sets)



96(sets), 21.4(kgs), 23(kgs), 1.74'

Specifications	Point No./ Size	Length
6Pcs(Double End Bit)	PH1+SL4, PZ+H4, PH2+SL5, PZ2+H5, PH3+SL6, PZ3+H6	38mm
6Pcs 1/4" Dr. Socket	6, 7, 8, 9, 10, 11mm	
Socket Adapter x 1Pcs		25mm
L Type Screwdriver Handle x 1Pcs		




823-8Pcs

10(sets)



80(sets), 14(kgs), 15.9(kgs), 1.9'

Specifications	Point No./ Size	Length
3Pcs	PH1, 2, 3	25mm
3Pcs	SL4, 5, 6	25mm
1Pcs	H4	25mm
Magnetic Ratchet Screwdriver x 1Pcs		



823A-8 in 1

10(sets)



50(sets), 14.8(kgs), 16.3(kgs), 1.6'

Specifications	Point No./ Size	Length
2 Pcs	PH1, 2	25mm
2 Pcs	SL4, 6	25mm
2 Pcs	PZ1, 2	25mm
Ratchet Handle x 1Pcs		
Tape Measure x 1Pcs		



824-14 in 1

10(sets)



50(sets), 14.8(kgs), 16.3(kgs), 1.5'

Specifications	Point No./ Size	Length
3Pcs	PH1, 2, 3	25mm
3Pcs	SL4, 6, 7	25mm
3Pcs	PZ1, 2, 3	25mm
3Pcs	H4, 5, 6	25mm
Ratchet Handle x 1Pcs		
Tape Measure x 1Pcs		





828-11Pcs

25(sets)



50(sets), 16.5(kgs), 17.5(kgs), 0.8'

Specifications	Point No./ Size	Length
9Pcs 1/4" Dr. Socket	5,6,7,8,9,10,11,12,13	
1Pcs 1/4" Dr. Ratchet Handle		
1Pcs 1/4" Dr. Extension Bar		100mm



829-13Pcs

25(sets)



100(sets), 21.8(kgs), 23(kgs), 1.7'

Specifications	Point No./ Size	Length
3Pcs	PH 1,2,3	25mm
2Pcs	SL 4,6	25mm
6Pcs 1/4" Dr. Socket	5,6,7,8,9,10	
1Pcs Stubby Ratchet Handle		
1Pcs Socket Adapter		25mm



831-13Pcs

5(sets)



60(sets), 13.3(kgs), 15.3(kgs), 2.1'

Specifications	Point No./ Size	Length
3Pcs	PH 1,2,3	25mm
2Pcs	SL 4,6	25mm
6Pcs 1/4" Dr. Socket	5,6,7,8,9,10	
1Pcs Mini Ratchet Handle		
1Pcs Socket Adapter		25mm



839-13Pcs

12(sets)



48(sets), 14.3(kgs), 16(kgs), 2.4'

Specifications	Point No./ Size	Length
2Pcs	PH 1,2	25mm
2Pcs	SL 5,6	25mm
2Pcs	PZ 1,2	25mm
5Pcs 1/4" Dr. Socket	6,7,8,9,10	
1Pcs Socket Adapter		
Ratchet Screwdriver x 1Pcs		



844-5Pcs

10(sets)



50(sets), 8.9(kgs), 10(kgs), 1.1'

Specifications	Point No./ Size	Length
2Pcs	PH 1,2	30mm
2Pcs	SL 4,6	30mm
Ratchet Screwdriver x 1Pcs		



805-37Pcs



25(sets), 15.7(kgs), 16.2(kgs), 0.5'

Specifications	Point No./ Size	Length
4Pcs	4, 6, 8, 10	25mm
3Pcs	R0, 1, 2	25mm
3Pcs	1, 2, 3	25mm
3Pcs	6, 8, 10	25mm
6Pcs	2, 2.5, 3, 4, 5, 6mm	25mm
6Pcs	5/64", 3/32", 7/64", 1/8", 9/64", 5/32"	25mm
11Pcs	T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	25mm
Magnetic Screwdriver x 1Pcs		

Metal Case



806-25Pcs



25(sets), 13(kgs), 13.5(kgs), 0.5'

Specifications	Point No./ Size	Length
4Pcs	PH0, 1, 2, 3	25mm
4Pcs	SL4, 5, 6, 7	25mm
4Pcs	PZ0, 1, 2, 3	25mm
6Pcs	T10, 15, 20, 25, 30, 40	25mm
6Pcs	H2, 2.5, 3, 4, 5, 6	25mm
Magnetic Bit Holder x 1Pcs		60mm

Metal Case



806A-48Pcs



25(sets), 13.5(kgs), 14(kgs), 0.5'

Specifications	Point No./ Size	Length
5Pcs	PH 0, 1, 2, 2, 3	25mm
5Pcs	SL 3, 4, 5, 6, 7	25mm
7Pcs	T10, 15, 20, 25, 27, 30, 40	25mm
7Pcs	T10, 15, 20, 25, 27, 30, 40	25mm
5Pcs	PZ 0, 1, 2, 2, 3	25mm
3Pcs	R 1, 2, 3	25mm
5Pcs	H 2.5, 3, 4, 5, 6	25mm
4Pcs	1, 2, 3, 4	25mm
4Pcs	4, 6, 8, 10	25mm
3Pcs	6, 8, 10	25mm

Metal Case



808A-11Pcs



6/24(sets), 19(kgs), 20(kgs), 2'

Specifications	Point No./ Size	Length
3Pcs	PH1, 2, 3 (Round Shank)	120mm
3Pcs	PZ1, 2, 3 (Round Shank)	120mm
4Pcs	T15, T20, T25, T30 (Round Shank)	120mm
Magnetic Screwdriver x 1Pcs		

Metal Case



808-10Pcs



6/24(sets), 17(kgs), 18.8(kgs), 2'

Specifications	Point No./ Size	Length
3Pcs	PH1, 2, 3 (Round Shank)	120mm
3Pcs	PZ1, 2, 3 (Round Shank)	120mm
4Pcs	T15, T20, T25, T30 (Round Shank)	120mm

Metal Case





809-30Pcs



40(sets), 22.8(kgs), 23.3(kgs), 0.81'

Specifications	Point No./ Size	Length
+	3Pcs PH 1, 2, 3 (Round Shank)	50mm
•	3Pcs R 0, 1, 2 (Round Shank)	50mm
+	10Pcs T6, 7, 8, 9, 10, 15, 20, 25, 27, 30 (Round Shank)	50mm
•	5Pcs H2, 2.5, 3, 4, 5 (Round Shank)	50mm
•	3Pcs 4, 6, 8 (Round Shank)	50mm
•	3Pcs 1, 2, 3 (Round Shank)	50mm
+	3Pcs 6, 8, 10 (Round Shank)	50mm

Plastic Bit Holder x 2Pcs



809A-31Pcs



6(sets)



24(sets), 13.6(kgs), 14.9(kgs), 1.3'

Specifications	Point No./ Size	Length
+	3Pcs PH 1, 2, 3	25mm
•	3Pcs R 0, 1, 2	25mm
+	4Pcs T6, 7, 8, 9	25mm
•	5Pcs H2, 2.5, 3, 4, 5	25mm
+	6Pcs T10, 15, 20, 25, 27, 30 (Round Shank)	50mm
•	3Pcs 4, 6, 8 (Round Shank)	50mm
•	3Pcs 1, 2, 3 (Round Shank)	50mm
+	3Pcs 6, 8, 10 (Round Shank)	50mm

Plastic Bit Holder x 2Pcs

Magnetic Screwdriver x 1Pcs



809B-32Pcs



6(sets)



24(sets), 13.6(kgs), 14.9(kgs), 1.3'

Specifications	Point No./ Size	Length
+	4Pcs PH000, PH00, PH0, PH1	28mm
•	2Pcs PZ 0, 1	28mm
•	9Pcs T4, 5, 6, 7, 8, 9, 10, 15, 20	28mm
•	8Pcs H0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4	28mm
•	7Pcs SL1.0, 1.5, 2, 2.5, 3, 3.5, 4	28mm

1pc Bit Extension H4 x 115mm

1pc Screwdriver H4mm



809C-32Pcs



6(sets)



24(sets), 13.6(kgs), 14.9(kgs), 1.3'

Specifications	Point No./ Size	Length
+	4Pcs PH1, PH2, PH3	25mm
•	4Pcs SL3, 4, 5, 6	25mm
•	7Pcs T10, 15, 20, 25, 27, 30, 40	25mm
•	7Pcs T10, 15, 20, 25, 27, 30, 40	25mm
•	4Pcs H3, 4, 5, 6	25mm
•	4Pcs PZ1, 2, 2, 3	25mm

Magnetic Bit Holder x 1Pcs

Plastic Bit Holder x 2Pcs

Magnetic Screwdriver x 1Pcs



815-82Pcs



10(sets), 18.5(kgs), 19.2(kgs), 1.31'

Specifications	Point No./ Size	Length
4Pcs	PH0, 1, 2, 3	25mm
7Pcs	SL3, 4, 4.5, 5.5, 6, 6.5, 8	25mm
2Pcs	T45, 50	25mm
4Pcs	PZ1, 2, 3, 4	25mm
4Pcs	4, 5, 6, 8	25mm
4Pcs	0, 1, 2, 3	25mm
7Pcs	1.5, 2, 2.5, 3, 4, 5, 6	25mm
2Pcs	PH1, 2 (Round Shank)	50mm
2Pcs	PZ1, 2 (Round Shank)	50mm
3Pcs	1, 2, 3 (Round Shank)	50mm
11Pcs	T6, 7, 8, 9, 10, 15, 20, 25, 27, 30 (Round Shank), 40	50mm
4Pcs	4, 6, 8, 10 (Round Shank)	50mm
5Pcs	1, 2, 3, 4, 5 (Round Shank)	50mm
3Pcs	6, 8, 10 (Round Shank)	50mm
Socket Adapter x 1Pcs		50mm
1/4" Dr. (CRV) Socket x 11Pcs	4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13	
1/4" Dr. E Socket x 3Pcs	E5, E6, E8	
1/4" Dr. Extension Bar x 1Pcs		50mm
1/4" Dr. Bit Adapter x 1Pcs		
Quick Release Bit Holder x 1Pcs		60mm
Magnetic Screwdriver Handle x 1Pcs		
1/4"Dr. Quick Release Ratchet Driver x 1Pcs		



826-10Pcs



20(sets), 13.8(kgs), 14.5(kgs), 0.63'

Specifications	Point No./ Size	Length
2Pcs	PH 1,2	25mm
1Pcs L Hex Key 1/8"		
1Pcs Magnetic Nut Setter 5/16"		45mm
1Pcs Bit Adapter		
1Pcs Tube Adapter		
1Pcs Drill Adapter		
2Pcs Magnetic Nut Setter Adapter 1/4", 5/16"		
1Pcs Masonry Drill Bit 5/32" X 5-1/2"		



827-8Pcs



6(sets)



24(sets), 16.5(kgs), 18(kgs), 1.9'

Specifications	Point No./ Size	Length
2Pcs	PH 1,2 (Round Shank)	120mm
2Pcs	PZ 2,3 (Round Shank)	120mm
3Pcs	T 15,20,25 (Round Shank)	120mm
Magnetic Screwdriver x 1Pcs		



834-22Pcs



1(sets)



6(sets), 7.2(kgs), 8(kgs), 1.3'

Specifications	Point No./ Size	Length
2Pcs	PH 1,2	25mm
2Pcs	SL 5,7	25mm
6Pcs	T10, T15, T20, T25, T27, T30	25mm
9Pcs 1/4" Dr. Sockets	5, 6, 7, 8, 9, 10, 11, 12, 13mm	
3Pcs Flexible Driver, 500mm Shaft + 100mm Handle		
1Pcs Magnet		
1Pcs 1/4"Dr. Socket Adapter		
1Pcs 1/4"Dr. Bit Holder		



847-62Pcs

12(sets)



24(sets), 11.7(kgs), 12.7(kgs), 0.6'

Specifications	Point No./ Size	Length
6Pcs	PH 0,1,(2X3)3	25mm
4Pcs	R 0,1,2,3	25mm
7Pcs	SL 3,4,5,5,5,6,5,7	25mm
6Pcs	PZ 0,1,(2X3)3	25mm
10Pcs	T8,9,10,15,20,25,27,30,40,45	25mm
10Pcs	T8,9,10,15,20,25,27,30,40,45	25mm
5Pcs	H2,5,3,4,5,6(mm)	25mm
5Pcs	H1/8,9/64",5/32,3/16",1/4"	25mm
3Pcs	6,8,10,	25mm
4Pcs	4,6,8,10	25mm
1Pcs	Socket Adapter	25mm
1Pcs	Quick Release Bit Holder	60mm



845-32Pcs

20(sets)



60(sets), 17(kgs), 18(kgs), 1'

Specifications	Point No./ Size	Length
4Pcs	PH 1,2x2,3	25mm
4Pcs	SL 3,4,5,6	25mm
4Pcs	PZ 1,2x2,3	25mm
4Pcs	H3,4,5,6	25mm
7Pcs	T10,15,20,25,27,30,40	25mm
7Pcs	T10,15,20,25,27,30,40	25mm
1Pcs Socket Adapter		25mm
1Pcs Quick Release Bit Holder		60mm



845A-32Pcs

20(sets)



60(sets), 17.3(kgs), 18.3(kgs), 1'

Specifications	Point No./ Size	Length
4Pcs	PH 1,2x2,3	25mm
4Pcs	SL 3,4,5,6	25mm
4Pcs	PZ 1,2x2,3	25mm
4Pcs	H3,4,5,6	25mm
7Pcs	T10,15,20,25,27,30,40	25mm
7Pcs	T10,15,20,25,27,30,40	25mm
1Pcs Socket Adapter		25mm
1Pcs Quick Release Bit Holder		60mm



845C-19Pcs

20(sets)



60(sets), 17.3(kgs), 18.3(kgs), 1'

Specifications	Point No./ Size	Length
3Pcs	PH 1,2,3	25mm
3Pcs	R1,2,3	25mm
4Pcs	H2,3,4,5	25mm
7Pcs 1/4" Dr. Socket	5,6,7,8,9,10,11	
1Pcs Socket Adapter		25mm
1Pcs Mini Ratchet Screwdriver		



845E-19Pcs

20(sets)



60(sets), 17.3(kgs), 18.3(kgs), 1'

Specifications	Point No./ Size	Length
2Pcs	PH 1,2	25mm
2Pcs	SL 5,7	25mm
2Pcs	PZ 1,2	25mm
4Pcs	T 10,15,20,25	25mm
6Pcs 1/4" Dr. Socket	6,7,8,9,10,13	
1Pcs 1/4" Extension Bar 2"		
1Pcs 1/4" Dr. Quick Release Ratchet Driver		
1Pcs Bit Adapter		





PHILLIPS SOCKET BIT & W/PLASTIC HOLDER



1/4" Dr. Phillips Socket Bit

Point No.	Item No.	Weight	Length
PH0	921120	14g	37mm
PH1	921121	14g	37mm
PH2	921122	14g	37mm
PH3	921123	16g	37mm
PH4	921124	16g	37mm

3/8" Dr. Phillips Socket Bit

Item No.	Weight	Length
921130	55g	50mm
921131	55g	50mm
921132	55g	50mm
921133	56g	50mm
921134	56g	50mm

1/2" Dr. Phillips Socket Bit

Item No.	Weight	Length
921140	68g	55mm
921141	68g	55mm
921142	68g	55mm
921143	68g	55mm
921144	70g	55mm

1/4" Dr. Phillips Socket Bit w/Plastic Holder

Point No.	Item No.	Weight	Length
PH0	921120H	22g	37mm
PH1	921121H	22g	37mm
PH2	921122H	22g	37mm
PH3	921123H	24g	37mm
PH4	921124H	24g	37mm

3/8" Dr. Phillips Socket Bit w/Plastic Holder

Item No.	Weight	Length
921130H	63g	50mm
921131H	63g	50mm
921132H	63g	50mm
921133H	64g	50mm
921134H	64g	50mm

1/2" Dr. Phillips Socket Bit w/Plastic Holder

Item No.	Weight	Length
921140H	76g	55mm
921141H	76g	55mm
921142H	76g	55mm
921143H	76g	55mm
921144H	78g	55mm

PZ SOCKET BIT & W/PLASTIC HOLDER



1/4" Dr. PZ Socket Bit

Point No.	Item No.	Weight	Length
PZ0	821120	14g	37mm
PZ1	821121	14g	37mm
PZ2	821122	14g	37mm
PZ3	821123	16g	37mm
PZ4	821124	16g	37mm

3/8" Dr. PZ Socket Bit

Item No.	Weight	Length
821130	55g	50mm
821131	55g	50mm
821132	55g	50mm
821133	56g	50mm
821134	56g	50mm

1/2" Dr. PZ Socket Bit

Item No.	Weight	Length
821140	68g	55mm
821141	68g	55mm
821142	68g	55mm
821143	68g	55mm
821144	70g	55mm

1/4" Dr. PZ Socket Bit w/Plastic Holder

Point No.	Item No.	Weight	Length
PZ0	821120H	22g	37mm
PZ1	821121H	22g	37mm
PZ2	821122H	22g	37mm
PZ3	821123H	24g	37mm
PZ4	821124H	24g	37mm

3/8" Dr. PZ Socket Bit w/Plastic Holder

Item No.	Weight	Length
821130H	63g	50mm
821131H	63g	50mm
821132H	63g	50mm
821133H	64g	50mm
821134H	64g	50mm

1/2" Dr. PZ Socket Bit w/Plastic Holder

Item No.	Weight	Length
821140H	76g	55mm
821141H	76g	55mm
821142H	76g	55mm
821143H	76g	55mm
821144H	78g	55mm



1/4" Dr. Slotted Socket Bit

Point No.	Item No.	Weight	Length
SL3	7211203	14g	37mm
SL4	7211204	14g	37mm
SL4.5	7211245	14g	37mm
SL5	7211205	14g	37mm
SL5.5	7211255	16g	37mm
SL6	7211206	16g	37mm
SL7	-	-	-
SL8	-	-	-
SL10	-	-	-
SL12	-	-	-

3/8" Dr. Slotted Socket Bit

Item No.	Weight	Length
7211303	55g	50mm
7211304	55g	50mm
7211345	55g	50mm
7211305	55g	50mm
7211355	55g	50mm
7211306	55g	50mm
7211307	55g	50mm
7211308	56g	50mm
7211310	59g	50mm
7211312	63g	50mm

1/2" Dr. Slotted Socket Bit

Item No.	Weight	Length
7211403	68g	55mm
7211404	68g	55mm
7211445	68g	55mm
7211405	68g	55mm
7211455	68g	55mm
7211406	68g	55mm
7211407	68g	55mm
7211408	68g	55mm
7211410	68g	55mm
7211412	75g	55mm

1/4" Dr. Slotted Socket Bit w/Plastic Holder

Point No.	Item No.	Weight	Length
SL3	7211203H	22g	37mm
SL4	7211204H	22g	37mm
SL4.5	7211245H	22g	37mm
SL5	7211205H	22g	37mm
SL5.5	7211255H	24g	37mm
SL6	7211206H	24g	37mm
SL7	-	-	-
SL8	-	-	-
SL10	-	-	-
SL12	-	-	-

3/8" Dr. Slotted Socket Bit w/Plastic Holder

Item No.	Weight	Length
7211303H	63g	50mm
7211304H	63g	50mm
7211345H	63g	50mm
7211305H	63g	50mm
7211355H	63g	50mm
7211306H	63g	50mm
7211307H	63g	50mm
7211308H	64g	50mm
7211310H	67g	50mm
7211312H	71g	50mm

1/2" Dr. Slotted Socket Bit w/Plastic Holder

Item No.	Weight	Length
7211403H	76g	55mm
7211404H	76g	55mm
7211445H	76g	55mm
7211405H	76g	55mm
7211455H	76g	55mm
7211406H	76g	55mm
7211407H	76g	55mm
7211408H	76g	55mm
7211410H	76g	55mm
7211412H	78g	55mm



1/4" Dr. Star Socket Bit

Point No.	Item No.	Weight	Length
T8	6211208	14g	37mm
T10	6211210	14g	37mm
T15	6211215	14g	37mm
T20	6211220	14g	37mm
T25	6211225	14g	37mm
T27	6211227	14g	37mm
T30	6211230	14g	37mm
T40	6211240	16g	37mm
T45	-	-	-
T50	-	-	-
T55	-	-	-
T60	-	-	-

3/8" Dr. Star Socket Bit

Item No.	Weight	Length
6211308	55g	50mm
6211310	55g	50mm
6211315	55g	50mm
6211320	55g	50mm
6211325	55g	50mm
6211327	55g	50mm
6211330	55g	50mm
6211340	55g	50mm
6211345	55g	50mm
6211350	56g	50mm
6211355	59g	50mm
6211360	61g	50mm

1/2" Dr. Star Socket Bit

Item No.	Weight	Length
-	-	-
-	-	-
-	-	-
6211420	67g	55mm
6211425	67g	55mm
6211427	67g	55mm
6211430	67g	55mm
6211440	67g	55mm
6211445	67g	55mm
6211450	67g	55mm
-	-	-
6211460	73g	55mm

1/4" Dr. Star Socket Bit w/Plastic Holder

Point No.	Item No.	Weight	Length
T8	6211208H	22g	37mm
T10	6211210H	22g	37mm
T15	6211215H	22g	37mm
T20	6211220H	22g	37mm
T25	6211225H	22g	37mm
T27	6211227H	22g	37mm
T30	6211230H	22g	37mm
T40	6211240H	24g	37mm
T45	-	-	-
T50	-	-	-
T55	-	-	-
T60	-	-	-

3/8" Dr. Star Socket Bit w/Plastic Holder

Item No.	Weight	Length
6211308H	63g	50mm
6211310H	63g	50mm
6211315H	63g	50mm
6211320H	63g	50mm
6211325H	63g	50mm
6211327H	63g	50mm
6211330H	63g	50mm
6211340H	63g	50mm
6211345H	63g	50mm
6211350H	64g	50mm
6211355H	67g	50mm
6211360H	69g	50mm

1/2" Dr. Star Socket Bit w/Plastic Holder

Item No.	Weight	Length
-	-	-
-	-	-
-	-	-
6211420H	75g	55mm
6211425H	75g	55mm
6211427H	75g	55mm
6211430H	75g	55mm
6211440H	75g	55mm
6211445H	75g	55mm
6211450H	75g	55mm
-	-	-
6211460H	81g	55mm



1/4" Dr. Hex Socket Bit

Point No.	Item No.	Weight	Length
H3	5211203	14g	37mm
H4	5211204	14g	37mm
H5	5211205	16g	37mm
H5.5	5211255	16g	37mm
H6	5211206	16g	37mm
H7	5211207	16g	37mm
H8	5211208	18g	37mm
H9	-	-	-
H10	-	-	-
H12	-	-	-
H14	-	-	-

3/8" Dr. Hex Socket Bit

Item No.	Weight	Length
5211303	55g	50mm
5211304	55g	50mm
5211305	55g	50mm
5211355	55g	50mm
5211306	55g	50mm
5211307	55g	50mm
5211308	56g	50mm
5211309	58g	50mm
5211310	59g	50mm
5211312	63g	50mm

1/2" Dr. Hex Socket Bit

Item No.	Weight	Length
-	-	-
5211404	71g	55mm
5211405	71g	55mm
-	-	-
5211406	71g	55mm
5211407	71g	55mm
5211408	71g	55mm
5211409	71g	55mm
5211410	71g	55mm
5211412	75g	55mm
5211414	81g	55mm

1/4" Dr. Hex Socket Bit w/Plastic Holder

Point No.	Item No.	Weight	Length
H3	5211203H	22g	37mm
H4	5211204H	22g	37mm
H5	5211205H	22g	37mm
H5.5	5211255H	22g	37mm
H6	5211206H	22g	37mm
H7	5211207H	22g	37mm
H8	5211208H	24g	37mm
H9	-	-	-
H10	-	-	-
H12	-	-	-
H14	-	-	-

3/8" Dr. Hex Socket Bit w/Plastic Holder

Item No.	Weight	Length
5211303H	63g	50mm
5211304H	63g	50mm
5211305H	63g	50mm
5211355H	63g	50mm
5211306H	63g	50mm
5211307H	63g	50mm
5211308H	64g	50mm
5211309H	66g	50mm
5211310H	67g	50mm
5211312H	71g	50mm

1/2" Dr. Hex Socket Bit w/Plastic Holder

Item No.	Weight	Length
-	-	-
5211404H	78g	55mm
5211405H	78g	55mm
-	-	-
5211406H	78g	55mm
5211407H	78g	55mm
5211408H	78g	55mm
5211409H	78g	55mm
5211410H	78g	55mm
5211412H	83g	55mm
5211414H	89g	55mm



6PT FLANK SOCKET



1/4" Dr. 6PT Socket

Point No.	Item No.	Weight	Length
4	100204	10g	25mm
4.5	100245	10g	25mm
5	100205	10g	25mm
5.5	100255	10g	25mm
6	100206	11g	25mm
7	100207	11g	25mm
8	100208	12g	25mm
9	100209	12g	25mm
10	100210	14g	25mm
11	100211	19g	25mm
12	100212	20g	25mm
13	100213	24g	25mm
14	100214	30g	25mm
5/32"	100205S	10g	25mm
3/16"	100206S	10g	25mm
7/32"	100207S	10g	25mm
1/4"	100208S	11g	25mm
9/32"	100209S	11g	25mm
5/16"	100210S	12g	25mm
11/32"	100211S	12g	25mm
3/8"	100212S	14g	25mm
7/16"	100214S	19g	25mm
1/2"	100216S	24g	25mm
9/16"	100218S	30g	25mm

3/8" Dr. 6PT Socket

Point No.	Item No.	Weight	Length
6	100306	24g	30mm
7	100307	24g	30mm
8	100308	24g	30mm
9	100309	24g	30mm
10	100310	24g	30mm
11	100311	24g	30mm
12	100312	24g	30mm
13	100313	26g	30mm
14	100314	26g	30mm
15	100315	38g	30mm
16	100316	34g	30mm
17	100317	46g	30mm
18	100318	56g	30mm
19	100319	54g	30mm
20	100320	72g	30mm
21	100321	72g	30mm
22	100322	80g	30mm
24	100324	94g	30mm
1/4"	100308S	24g	30mm
5/16"	100310S	24g	30mm
3/8"	100312S	24g	30mm
7/16"	100314S	24g	30mm
1/2"	100316S	26g	30mm
9/16"	100318S	26g	30mm
19/32"	100319S	38g	30mm
5/8"	100320S	34g	30mm
11/16"	100322S	46g	30mm
3/4"	100324S	54g	30mm
25/32	100325S	72g	30mm
13/16"	100326S	72g	30mm
7/8"	100328S	80g	30mm

1/2" Dr. 6PT Socket

Point No.	Item No.	Weight	Length
8	100408	46g	38mm
9	100409	46g	38mm
10	100410	47g	38mm
11	100411	48g	38mm
12	100412	49g	38mm
13	100413	50g	38mm
14	100414	51g	38mm
15	100415	46g	38mm
16	100416	47g	38mm
17	100417	55g	38mm
18	100418	71g	38mm
19	100419	62g	38mm
20	100420	73g	38mm
21	100421	69g	38mm
22	100422	90g	38mm
23	100423	114g	38mm
24	100424	108g	38mm
25	100425	125g	38mm
26	100426	138g	38mm
27	100427	144g	38mm
28	100428	190g	38mm
30	100430	195g	38mm
32	100432	216g	38mm
5/16"	100410S	46g	38mm
3/8"	100412S	47g	38mm
7/16"	100414S	48g	38mm
5/32"	100415S	49g	38mm
1/2"	100416S	50g	38mm
9/16"	100418S	51g	38mm
19/32"	100419S	46g	38mm
5/8"	100420S	47g	38mm
11/16"	100422S	55g	38mm
3/4"	100324S	62g	38mm
25/32"	100425S	73g	38mm
13/16"	100426S	69g	38mm
7/8"	100428S	90g	38mm
15/16"	100430S	108g	38mm
1"	100432S	125g	38mm
1-1/16"	100434S	138g	38mm
1-1/8"	100436S	144g	38mm
1-3/16"	100438S	195g	38mm
1-1/4"	100440S	216g	38mm



1/4" Dr. 6PT Flank Socket w/Plastic Holder


Point No.	Item No.	Weight	Length
4	100204H	18g	25mm
4.5	100245H	18g	25mm
5	100205H	18g	25mm
5.5	100255H	18g	25mm
6	100206H	19g	25mm
7	100207H	19g	25mm
8	100208H	20g	25mm
9	100209H	20g	25mm
10	100210H	22g	25mm
11	100211H	27g	25mm
12	100212H	28g	25mm
13	100213H	32g	25mm
14	100214H	38g	25mm
5/32"	100205SH	18g	25mm
3/16"	100206SH	18g	25mm
7/32"	100207SH	18g	25mm
1/4"	100208SH	19g	25mm
9/32"	100209SH	19g	25mm
5/16"	100210SH	20g	25mm
11/32"	100211SH	20g	25mm
3/8"	100212SH	22g	25mm
7/16"	100214SH	27g	25mm
1/2"	100216SH	32g	25mm
9/16"	100218SH	38g	25mm

3/8" Dr. 6PT Flank Socket w/Plastic Holder

Point No.	Item No.	Weight	Length
6	100306H	32g	30mm
7	100307H	32g	30mm
8	100308H	32g	30mm
9	100309H	32g	30mm
10	100310H	32g	30mm
11	100311H	32g	30mm
12	100312H	32g	30mm
13	100313H	34g	30mm
14	100314H	34g	30mm
15	100315H	46g	30mm
16	100316H	42g	30mm
17	100317H	54g	30mm
18	100318H	64g	30mm
19	100319H	62g	30mm
20	100320H	80g	30mm
21	100321H	80g	30mm
22	100322H	88g	30mm
24	100324H	102g	30mm
1/4"	100308SH	32g	30mm
5/16"	100310SH	32g	30mm
3/8"	100312SH	32g	30mm
7/16"	100314SH	32g	30mm
1/2"	100316SH	34g	30mm
9/16"	100318SH	34g	30mm
19/32"	100319SH	46g	30mm
5/8"	100320SH	42g	30mm
11/16"	100322SH	54g	30mm
3/4"	100324SH	62g	30mm
25/32"	100325SH	80g	30mm
13/16"	100326SH	80g	30mm
7/8"	100328SH	88g	30mm

1/2" Dr. 6PT Flank Socket w/Plastic Holder

Point No.	Item No.	Weight	Length
8	100408H	54g	38mm
9	100409H	54g	38mm
10	100410H	55g	38mm
11	100411H	56g	38mm
12	100412H	57g	38mm
13	100413H	58g	38mm
14	100414H	59g	38mm
15	100415H	54g	38mm
16	100416H	55g	38mm
17	100417H	63g	38mm
18	100418H	79g	38mm
19	100419H	70g	38mm
20	100420H	81g	38mm
21	100421H	77g	38mm
22	100422H	98g	38mm
23	100423H	122g	38mm
24	100424H	116g	38mm
25	100425H	133g	38mm
26	100426H	146g	38mm
27	100427H	152g	38mm
28	100428H	198g	38mm
30	100430H	203g	38mm
32	100432H	224g	38mm
5/16"	100410SH	54g	38mm
3/8"	100412SH	55g	38mm
7/16"	100414SH	56g	38mm
15/32"	100415SH	57g	38mm
1/2"	100416SH	58g	38mm
9/16"	100418SH	59g	38mm
19/32"	100419SH	54g	38mm
5/8"	100420SH	55g	38mm
11/16"	100422SH	63g	38mm
3/4"	100324SH	70g	38mm
25/32"	100425SH	81g	38mm
13/16"	100426SH	77g	38mm
7/8"	100428SH	98g	38mm
15/16"	100430SH	116g	38mm
1"	100432SH	133g	38mm
1-1/16"	100434SH	146g	38mm
1-1/18"	100436SH	152g	38mm
1-3/16"	100438SH	203g	38mm
1-1/4"	100440SH	224g	38mm



1/4" Dr. 6PT Flank Deep Socket

Point No.	Item No.	Weight	Length
6	103206	20g	50mm
7	103207	20g	50mm
8	103208	24g	50mm
9	103209	30g	50mm
10	103210	36g	50mm
11	103211	46g	50mm
12	103212	50g	50mm
13	103213	52g	50mm

5/32"	103205S	14g	50mm
3/16"	103206S	16g	50mm
7/32"	103207S	20g	50mm
1/4"	103208S	20g	50mm
9/32"	103209S	20g	50mm
5/16"	103210S	24g	50mm
11/32"	103211S	30g	50mm
3/8"	103212S	36g	50mm
7/16"	103214S	46g	50mm
1/2"	103216S	52g	50mm

1/2" Dr. 6PT Flank Deep Socket w/Plastic Holder

Point No.	Item No.	Weight	Length
10	103410H	95g	76mm
11	103411H	102g	76mm
12	103412H	109g	76mm
13	103413H	114g	76mm
14	103414H	116g	76mm
15	103415H	113g	76mm
16	103416H	131g	76mm
17	103417H	132g	76mm
18	103418H	143g	76mm
19	103419H	148g	76mm
20	103420H	186g	76mm
21	103421H	195g	76mm
22	103422H	201g	76mm
5/16"	103410SH	107g	76mm
3/8"	103412SH	96g	76mm
7/16"	103414SH	99g	76mm
1/2"	103416SH	111g	76mm
9/16"	103418SH	115g	76mm
5/8"	103420SH	104g	76mm
11/16"	103422SH	121g	76mm
3/4"	103424SH	136g	76mm
13/16"	103426SH	176g	76mm
7/8"	103428SH	182g	76mm
15/16"	103430SH	258g	76mm
1"	103432SH	288g	76mm
1-1/16"	103434SH	308g	76mm
1-1/8"	103436SH	328g	76mm
1-3/16"	103438SH	358g	76mm
1-1/4"	103440SH	388g	76mm

3/8" Dr. 6PT Flank Deep Socket

Point No.	Item No.	Weight	Length
8	103308	47g	63mm
9	103309	47g	63mm
10	103310	51g	63mm
11	103311	52g	63mm
12	103312	56g	63mm
13	103313	62g	63mm
14	103314	66g	63mm
15	103315	89g	63mm
17	103317	104g	63mm
19	103319	121g	63mm

1/4"	103308S	47g	63mm
5/16"	103310S	47g	63mm
3/8"	103312S	51g	63mm
7/16"	103314S	52g	63mm
1/2"	103316S	62g	63mm
9/16"	103318S	66g	63mm
19/32"	103319S	89g	63mm
5/8"	103320S	104g	63mm
11/16"	103322S	104g	63mm
3/4"	103324S	121g	63mm
25/32"	103325S	130g	63mm
13/16"	103326S	142g	63mm
7/8"	103328S	158g	63mm

3/8" Dr. 6PT Flank Deep Socket w/Plastic Holder

Point No.	Item No.	Weight	Length
8	103308H	55g	63mm
9	103309H	55g	63mm
10	103310H	59g	63mm
11	103311H	60g	63mm
12	103312H	64g	63mm
13	103313H	70g	63mm
14	103314H	74g	63mm
15	103315H	97g	63mm
17	103317H	112g	63mm
19	103319H	129g	63mm
1/4"	103308SH	55g	63mm
5/16"	103310SH	55g	63mm
3/8"	103312SH	59g	63mm
7/16"	103314SH	60g	63mm
9/16"	103318SH	74g	63mm
19/32"	103319SH	97g	63mm
5/8"	103320SH	112g	63mm
11/16"	103322SH	112g	63mm
3/4"	103324SH	129g	63mm
25/32"	103325SH	138g	63mm
13/16"	103326SH	150g	63mm
7/8"	103328SH	166g	63mm

1/2" Dr. 6PT Flank Deep Socket

Point No.	Item No.	Weight	Length
10	103410	87g	76mm
11	103411	94g	76mm
12	103412	101g	76mm
13	103413	106g	76mm
14	103414	108g	76mm
15	103415	105g	76mm
16	103416	123g	76mm
17	103417	124g	76mm
18	103418	135g	76mm
19	103419	140g	76mm
20	103420	178g	76mm
21	103421	187g	76mm
22	103422	193g	76mm
5/16"	103410S	99g	76mm
3/8"	103412S	88g	76mm
7/16"	103414S	91g	76mm
1/2"	103416S	103g	76mm
9/16"	103418S	107g	76mm
5/8"	103420S	96g	76mm
11/16"	103422S	113g	76mm
3/4"	103424S	128g	76mm
13/16"	103426S	168g	76mm
7/8"	103428S	174g	76mm
15/16"	103430S	250g	76mm
1"	103432S	280g	76mm
1-1/16"	103434S	300g	76mm
1-1/8"	103436S	320g	76mm
1-3/16"	103438S	350g	76mm
1-1/4"	103440S	380g	76mm

1/4" Dr. 6PT Flank Deep Socket w/Plastic Holder

Point No.	Item No.	Weight	Length
6	103206H	28g	50mm
7	103207H	28g	50mm
8	103208H	32g	50mm
9	103209H	38g	50mm
10	103210H	44g	50mm
11	103211H	54g	50mm
12	103212H	58g	50mm
13	103213H	60g	50mm
5/32"	103205SH	22g	50mm
3/16"	103206SH	24g	50mm
7/32"	103207SH	28g	50mm
1/4"	103208SH	28g	50mm
9/32"	103209SH	28g	50mm
5/16"	103210SH	32g	50mm
11/32"	103211SH	38g	50mm
3/8"	103212SH	44g	50mm
7/16"	103214SH	54g	50mm
1/2"	103216SH	60g	50mm



1/2" Dr. 6PT Flank Impact Socket

Point No.	Item No.	Weight	Length
8	508408	63g	38mm
10	508410	64g	38mm
11	508411	66g	38mm
12	508412	69g	38mm
13	508413	69g	38mm
14	508414	69g	38mm
15	508415	71g	38mm
16	508416	72g	38mm
17	508417	90g	38mm
18	508418	100g	38mm
19	508419	88g	38mm
20	508420	101g	38mm
21	508421	100g	38mm
22	508422	130g	40mm
23	508423	121g	40mm
24	508424	130g	40mm
27	508427	166g	42mm
30	508430	202g	44mm
32	508432	223g	46mm



1/2" Dr. 6PT Flank Impact Socket & w/Plastic Holder

Item No.	Weight	Length
508408H	71g	38mm
508410H	72g	38mm
508411H	74g	38mm
508412H	73g	38mm
508413H	77g	38mm
508414H	77g	38mm
508415H	79g	38mm
508416H	80g	38mm
508417H	98g	38mm
508418H	108g	38mm
508419H	96g	38mm
508420H	109g	38mm
508421H	108g	38mm
508422H	138g	40mm
508423H	129g	40mm
508424H	138g	40mm
508427H	174g	42mm
508430H	210g	44mm
508432H	231g	46mm



1/2" Dr. 6PT Flank Deep Impact Socket

Point No.	Item No.	Weight	Length
10	507410	119g	78mm
11	507411	121g	78mm
12	507412	129g	78mm
13	507413	145g	78mm
14	507414	140g	78mm
17	507417	179g	78mm
19	507419	192g	78mm
21	507421	208g	78mm
22	507422	237g	78mm
24	507424	259g	78mm
27	507427	337g	78mm



1/2" Dr. 6PT Flank Deep Impact Socket & w/Plastic Holder

Item No.	Weight	Length
507410H	127g	78mm
507411H	129g	78mm
507412H	137g	78mm
507413H	153g	78mm
507414H	148g	78mm
507417H	187g	78mm
507419H	200g	78mm
507421H	216g	78mm
507422H	245g	78mm
507424H	267g	78mm
507427H	345g	78mm



3/4" Dr. 6PT Flank Impact Socket

Point No.	Item No.	Weight	Length
19	508619	300g	51mm
21	508621	315g	51mm
22	508622	340g	51mm
23	508623	350g	51mm
24	508624	355g	51mm
27	508627	330g	54mm
30	508630	440g	54mm
32	508632	480g	57mm
33	508633	540g	57mm
34	508634	560g	57mm
35	508635	580g	57mm
36	508636	590g	57mm
38	508638	690g	57mm
41	508641	730g	58mm
43	508643	740g	58mm
45	508645	840g	58mm
46	508646	930g	63mm
48	508648	1000g	65mm
50	508650	1100g	68mm
3/4"	508624S	300g	51mm
13/16"	508626S	315g	51mm
7/8"	508628S	340g	51mm
15/16"	508630S	350g	51mm
1"	508632S	355g	54mm
1-1/16"	508634S	330g	54mm
1-1/8"	508636S	350g	54mm
1-3/16"	508638S	440g	54mm
1-1/4"	508640S	480g	57mm
1-5/16"	508642S	540g	57mm
1-3/8"	508644S	580g	57mm
1-7/16"	508646S	690g	57mm
1-1/2"	508648S	690g	57mm
1-9/16"	508650S	720g	58mm
1-5/8"	508652S	730g	58mm
1-11/16"	508654S	750g	60mm
1-3/4"	508656S	840g	63mm
1-13/16"	508658S	930g	63mm
1-7/8"	508660S	1000g	65mm
2"	508664S	1100g	68mm

3/4" Dr. 6PT Flank Impact Socket & w/Plastic Holder

Item No.	Weight	Length
508619H	310g	51mm
508621H	325g	51mm
508622H	350g	51mm
508623H	360g	51mm
508624H	365g	51mm
508627H	340g	54mm
508630H	450g	54mm
508632H	490g	57mm
508633H	550g	57mm
508634H	570g	57mm
508635H	590g	57mm
508636H	600g	57mm
508638H	700g	57mm
508641H	740g	58mm
508643H	750g	58mm
508645H	850g	58mm
508646H	940g	63mm
508648H	1010g	65mm
508650H	1110g	68mm
508624SH	310g	51mm
508626SH	325g	51mm
508628SH	350g	51mm
508630SH	360g	51mm
508632SH	365g	54mm
508634SH	340g	54mm
508636SH	360g	54mm
508638SH	450g	54mm
508640SH	490g	57mm
508642SH	550g	57mm
508644SH	590g	57mm
508646SH	700g	57mm
508648SH	700g	57mm
508650SH	730g	58mm
508652SH	740g	58mm
508654SH	760g	60mm
508656SH	850g	63mm
508658SH	940g	63mm
508660SH	1010g	65mm
508664SH	1110g	68mm



3/4" Dr. 12PT Flank Socket

Point No.	Item No.	Weight	Length
19	2106619	210g	51mm
21	2106621	210g	51mm
22	2106622	210g	51mm
23	2106623	210g	51mm
24	2106624	210g	51mm
26	2106626	210g	54mm
27	2106627	230g	54mm
29	2106629	260g	54mm
30	2106630	280g	54mm
32	2106632	300g	57mm
33	2106633	330g	57mm
35	2106635	370g	57mm
36	2106636	420g	57mm
38	2106638	470g	57mm
41	2106641	550g	58mm
46	2106646	710g	63mm
50	2106650	820g	68mm
3/4"	2106624S	210g	51mm
13/16"	2106626S	210g	51mm
7/8"	2106628S	210g	51mm
15/16"	2106630S	210g	51mm
1"	2106632S	210g	54mm
1-1/16"	2106634S	210g	54mm
1-1/8"	2106636S	230g	54mm
1-3/16"	2106638S	260g	54mm
1-1/4"	2106640S	280g	57mm
1-5/16"	2106642S	320g	57mm
1-3/8"	2106644S	360g	57mm
1-7/16"	2106646S	400g	57mm
1-1/2"	2106648S	450g	57mm
1-9/16"	2106650S	490g	58mm
1-5/8"	2106652S	540g	58mm
1-11/16"	2106654S	570g	60mm
1-3/4"	2106656S	600g	63mm
1-13/16"	2106658S	650g	63mm
1-7/8"	2106660S	700g	65mm
2"	2106664S	750g	68mm

3/4" Dr. 12PT Socket & w/Plastic Holder

Item No.	Weight	Length
2106619H	225g	51mm
2106621H	225g	51mm
2106622H	225g	51mm
2106623H	225g	51mm
2106624H	225g	51mm
2106626H	225g	54mm
2106627H	245g	54mm
2106629H	275g	54mm
2106630H	295g	54mm
2106632H	315g	57mm
2106633H	345g	57mm
2106635H	385g	57mm
2106636H	435g	57mm
2106638H	485g	57mm
2106641H	565g	58mm
2106646H	725g	63mm
2106650H	835g	68mm
2106624SH	225g	51mm
2106626SH	225g	51mm
2106628SH	225g	51mm
2106630SH	225g	51mm
2106632SH	225g	54mm
2106634SH	225g	54mm
2106636SH	245g	54mm
2106638SH	275g	54mm
2106640SH	295g	57mm
2106642SH	335g	57mm
2106644SH	375g	57mm
2106646SH	415g	57mm
2106648SH	465g	57mm
2106650SH	505g	58mm
2106652SH	555g	58mm
2106654SH	585g	60mm
2106656SH	615g	63mm
2106658SH	665g	63mm
2106660SH	715g	65mm
2106664SH	765g	68mm



1/4" Dr. E Socket				3/8" Dr. E Socket				1/2" Dr. E Socket			
Point No.	Item No.	Weight	Length	Point No.	Item No.	Weight	Length	Point No.	Item No.	Weight	Length
E4	255204	10g	25mm	E7	255307	20g	28mm	E8	255408	48g	38mm
E5	255205	12g	25mm	E8	255308	22g	28mm	E10	255410	48g	38mm
E6	255206	12g	25mm	E10	255310	24g	28mm	E11	255411	50g	38mm
E7	255207	12g	25mm	E11	255311	26g	28mm	E12	255412	50g	38mm
E8	255208	12g	25mm	E12	255312	26g	28mm	E14	255414	58g	38mm
E10	255210	14g	25mm	E14	255314	26g	28mm	E16	255416	60g	38mm
E11	255211	14g	25mm	E16	255316	26g	28mm	E18	255418	74g	38mm
				E18	255318	42g	30mm	E20	255420	92g	38mm
				E20	255320	52g	30mm	E22	255422	102g	38mm
								E24	255424	128g	38mm

859-13Pcs 1/4" Dr. Socket set



10/20(sets), 10(kgs), 11(kgs), 0.9'

Specifications	Pcs	Point No./ Size
1/4" Dr. Socket	10	4, 5, 6, 7, 8, 9, 10, 11, 12, 13
1/4" Ratchet Handle w/Quick Release	1	
1/4" 2" Extension Bar	1	
1/4" Universal Joint	1	
1/4" Plastic Socket Holder	1	

860-13Pcs 3/8" Dr. Socket set



10/20(sets), 13.5(kgs), 14.2(kgs), 0.9'


Specifications	Pcs	Point No./ Size
3/8" Dr. Socket	10	7, 8, 10, 12, 13, 14, 15, 17, 19, 22
3/8" Ratchet Handle w/Quick Release	1	
3/8" 3" Extension Bar	1	
3/8" Universal Joint	1	
3/8" Plastic Socket Holder	1	

861-13Pcs 1/2" Dr. Socket set



10(sets), 18(kgs), 19(kgs), 0.9'

Specifications	Pcs	Point No./ Size
1/2" Dr. Socket	10	10, 11, 12, 13, 14, 15, 17, 19, 22, 24
1/2" Ratchet Handle w/Quick Release	1	
1/2" 5" Extension Bar	1	
1/2" Universal Joint	1	
1/2" Plastic Socket Holder	1	



826-11Pcs 1/2" Dr. Socket Bit Set



6/12(sets), 13(kgs), 14(kgs), 0.72'

Specifications	Pcs	Point No./ Size
1/2" Dr. Star Bit Socket	10	T20, T25, T27, T30, T40, T45, T47, T50, T55, T60
1/2" Dr. Sliding T-Handle	1	
1/2" Plastic Socket Holder	1	



45TA



72TC



72TDY




45TB



72TA



45TCS



72TDR



45TDB



24T



45TDR



24TH



45TDS



853-19Pcs



10(sets), 16.8(kgs), 17.5(kgs), 0.78'

Specifications	Pcs	Point No./ Size
1/2" Dr. E Socket	9	E10, 11, 12, 14, 16, 18, 20, 22, 24
1/2" Dr. Socket Bit	10	T20, 25, 27, 30, 40, 45, 50, 55, 60, 70

Blow Case



853A-16Pcs



10(sets), 13.5(kgs), 14.2(kgs), 0.78'

Specifications	Pcs	Point No./ Size
1/2" Dr. E Socket	9	E10, 11, 12, 14, 16, 18, 20, 22, 24
1/2" Dr. Socket Bit	7	T25, 30, 40, 45, 50, 55, 60

Metal Case



854A-8Pcs



20(sets), 23.9(kgs), 24.4(kgs), 0.92'

Specifications	Pcs	Point No./ Size
1/2" Dr. Socket Bit	8	H 5, 6, 7, 8, 10, 12, 14, 17 x 100 mm

Metal Case



854-8Pcs



20(sets), 23.9(kgs), 24.4(kgs), 0.92'

Specifications	Pcs	Point No./ Size
1/2" Dr. Socket Bit	8	H 5, 6, 7, 8, 10, 12, 14, 17 x 100 mm

Blow Case



855A-8Pcs



20(sets), 23.9(kgs), 24.4(kgs), 0.92'

Specifications	Pcs	Point No./ Size
1/2" Dr. Socket Bit	8	H 5, 6, 7, 8, 10, 12, 14, 17 x 100 mm

Metal Case



855-8Pcs



20(sets), 23.9(kgs), 24.4(kgs), 0.92'

Specifications	Pcs	Point No./ Size
1/2" Dr. Socket Bit	8	H 5, 6, 7, 8, 10, 12, 14, 17 x 100 mm

Blow Case





857-10Pcs



5/10(sets), 14.7(kgs), 15.5(kgs), 0.7'

Specifications	Pcs	Point No./ Size
1/2" Dr. Socket Bit	10	H 3, 4, 5, 6, 7, 8, 10, 12, 14, 17 x 150mm



793-14Pcs



10/20(sets), 13.5(kgs), 14.2(kgs), 0.9'

Specifications	Pcs	Point No./ Size
1/4" Dr. E Socket	5	E4, 5, 6, 7, 8
3/8" Dr. E Socket	4	E10, 11, 12, 14
1/2" Dr. E Socket	5	E16, 18, 20, 22, 24
Metal Socket Holder	1	



793A-8Pcs



20/40(sets), 21.6(kgs), 22.6(kgs), 0.8'

Specifications	Pcs	Point No./ Size
1/2" Dr.(6PT) Flank Socket	8Pcs	13, 14, 15, 18, 19, 21, 22, 24mm
Metal Socket Holder	1Pcs	



793B-7Pcs



30/60(sets), 15.8(kgs), 16.8(kgs), 1.2'

Specifications	Pcs	Point No./ Size
3/8" Dr.(6PT) Flank Socket	7Pcs	8, 10, 12, 13, 14, 15, 17mm
Metal Socket Holder	1Pcs	



793G-7Pcs



30/60(sets), 13.4(kgs), 13.9(kgs), 1.2'

Specifications	Pcs	Point No./ Size
1/4" Dr. E Socket	3	E6, 7, 8
3/8" Dr. E Socket	4	E10, 12, 14, 16
Metal Socket Holder	1	



793H-6Pcs



30/60(sets), 24.2(kgs), 25.2(kgs), 1.1'

Specifications	Pcs	Point No./ Size
1/4" Dr. E Socket	6	E4, 5, 6, 7, 8, 10
Metal Socket Holder	1	



793I-13Pcs






20(sets) 40(sets), 19.2(kgs), 20.3(kgs), 1.2'


Specifications	Pcs	Point No./ Size
1/4" Dr. Socket Bit	6	T10, 15, 20, 25, 27, 30
3/8" Dr. Socket Bit	5	T40, T45, T50, T55, T60
Adapter 3/8" (F) x 1/4" (M)	1	
Metal Socket Holder	1	



SLIDING T-HANDLE





	Item No.	Weight	Length	
1/4"	2442110	42g	110mm	50
3/8"	2443165	157g	165mm	50
3/8"	2443200	174g	200mm	50
1/2"	2444250	356g	250mm	25
1/2"	2444300	410g	300mm	25
3/4"	3446457	1410g	457mm	5

	Item No.	Weight	Length	
1/4"	2442110H	62g	110mm	50
3/8"	2443165H	177g	165mm	50
3/8"	2443200H	194g	200mm	50
1/2"	2444250H	376g	250mm	25
1/2"	2444300H	430g	300mm	25
3/4"	3446457H	1435g	457mm	5

EXTENSION BAR



	Item No.	Weight	Length	
1/4"	24322	24g	2"	50
1/4"	24323	35g	3"	50
1/4"	24324	44g	4"	50
1/4"	24326	66g	6"	50
3/8"	243303	66g	3"	50
3/8"	243306	144g	6"	50
3/8"	243310	236g	10"	50
1/2"	243403	124g	3"	25
1/2"	243405	198g	5"	25
1/2"	243410	392g	10"	25
3/4"	343606	600g	6"	10
3/4"	343608	700g	8"	10
3/4"	343612	1250g	12"	10
3/4"	343616	1356g	16"	5

	Item No.	Weight	Length	
1/4"	24322H	34g	2"	50
1/4"	24323H	45g	3"	50
1/4"	24324H	54g	4"	50
1/4"	24326H	76g	6"	50
3/8"	243303H	76g	3"	50
3/8"	243306H	154g	6"	50
3/8"	243310H	246g	10"	50
1/2"	243403H	134g	3"	25
1/2"	243405H	208g	5"	25
1/2"	243410H	402g	10"	25
3/4"	343606H	610g	6"	10
3/4"	343608H	710g	8"	10
3/4"	343612H	1260g	12"	10
3/4"	343616H	1366g	16"	5

SOCKET ADAPTER



Size No.	Item No.	Weight	Length
1/2"(M) x 3/8"(F)	24943	40g	37mm
3/8"(M) x 1/2"(F)	24934	50g	36mm
1/4"(M) x 3/8"(F)	24923	20g	26mm
3/8"(M) x 1/4"(F)	24932	20g	26mm

SPARK PLUG SOCKET



Size No.	Item No.	Weight	Length
3/8" x 16mm	120316	90g	66mm
3/8" x 21mm	120321	138g	66mm
1/2" x 16mm	120416	92g	66mm
1/2" x 21mm	120421	140g	66mm



	Item No.	Weight	Length
1/4"	2452	26g	38mm
3/8"	2453	48g	54mm
1/2"	2454	140g	74mm
3/4"	2456	590g	109mm

	Item No.	Weight	Length	
1/4"	2452H	46g	38mm	25
3/8"	2453H	68g	54mm	25
1/2"	2454H	160g	74mm	25
3/4"	2456H	610g	109mm	10

BIT ADAPTER



Size No.	Item No.	Weight	Length
1/2"(F) x 10mm	251410	54g	38mm
3/8"(F) x 10mm	251310	28g	38mm

ADAPTER FOR EXTENSION



Size No.	Item No.	Weight	Length
1/2"(F) x 3/8"(M)	24643	68g	43mm
3/8"(F) x 1/2"(M)	24634	68g	43mm
3/8"(F) x 1/4"(M)	24632	25g	35mm

FLEXIBLE EXTENSION

With Quick Release

Item No.	Length
QKSB621106	6"
QKSB621108	8"
QKSB621110	10"
QKSB621112	12"



Plastic Flexible Extension for Bit

Item No.	Weight	Length
B6211190	84g	12"



Extension Bar for Bit

Item No.	Weight	Length
P6211190	78g	190mm



Spring Flexible Extension for Bit

Item No.	Weight	Length
S6211150	58g	150mm
S6211190	75g	190mm



Extension Bar for Socket

Item No.	Weight	Length
P6211150	60g	150mm



Socket Adapter with Disc

3/8"(F)X1/4"(M) 1/4"(F)X1/4"(M) 1/4"(F)X3/8"(M) 3/8"(F)X3/8"(M)

764-11Pcs



30(sets)



60(sets), 14.8(kgs), 15.6(kgs), 0.94'

Specifications	Pcs	Point No./ Size
1/4" Dr. Socket	10Pcs	5-14mm (or Free Size)
Plastic Socket Holder	1Pcs	

765-11Pcs




10(sets)



30(sets), 17.8(kgs), 18.6(kgs), 0.93'

Specifications	Pcs	Point No./ Size
3/8" Dr. Socket	10Pcs	8-22mm (or Free Size)
Plastic Socket Holder	1Pcs	

766-11Pcs




12(sets)



24(sets), 15.6(kgs), 16.2(kgs), 0.66'

Specifications	Pcs	Point No./ Size
1/2" Dr. Socket	10Pcs	10-19mm (or Free Size)
Plastic Socket Holder	1Pcs	

767-12Pcs



12(sets)



36(sets), 14(kgs), 14..8(kgs), 0.8'

Specifications	Pcs	Point No./ Size
1/4" Dr. Socket	10Pcs	5-14mm (or Free Size)
Ratchet Handle w/Quick Release	1Pcs	24T
Plastic Ratchet Handle & Socket Holder	1Pcs	

768-12Pcs



10(sets)



20(sets), 17.6(kgs), 18.4(kgs), 0.83'

Specifications	Pcs	Point No./ Size
3/8" Dr. Socket	10Pcs	8-22mm (or Free Size)
Ratchet Handle w/Quick Release	1Pcs	24T
Plastic Ratchet Handle & Socket Holder	1Pcs	

769-12Pcs



6(sets)



12(sets), 16(kgs), 17(kgs), 0.85'

Specifications	Pcs	Point No./ Size
1/2" Dr. Socket	10Pcs	10-19mm(or Free Size)
Ratchet Handle w/Quick Release	1Pcs	24T
Plastic Ratchet Handle & Socket Holder	1Pcs	

HT-22Pcs



5(sets)



10(sets), 12(kgs), 13(kgs), 1'

Specifications	Pcs	Point No./ Size
1/4" Dr. Socket	9Pcs	4,4.5,5,5.5,6,7,8,9,10mm
3/8" Dr. Socket	9Pcs	8,9,10,11,12,13,14,17,19mm
3/8" Dr. Universal Joint	1Pcs	
3/8" Dr. Extension Bar	1Pcs	6"
Adapter	1Pcs	3/8"(F) x 1/4"(M)
Ratchet Handle	1Pcs	3/8" x 135mm
Plastic Socket Holder	1Pcs	



609-22Pcs



5(sets), 18.6(kgs), 19.6(kgs), 1.2'

Specifications	Pcs	Point No./ Size
1/2" Dr. (6PT) Flank Socket	15Pcs	10~19, 22, 24, 27, 30, 32mm
1/2" Dr. Spark Plug Socket	2Pcs	16, 21mm
1/2" Dr. Universal Joint	1Pcs	
1/2" Dr. Adapter for Extension	1Pcs	3/8"(F) x 1/2"(M)
1/2" Dr. Extension Bar	2Pcs	5", 10"
1/2" Dr. Ratchet Handle w/Quick Release	x 1Pcs	



610-26Pcs



5(sets), 12.3(kgs), 13.3(kgs), 1.2'

Specifications	Pcs	Point No./ Size
3/8" Dr. (6PT) Flank Socket	18Pcs	6~22, 24mm
3/8" Dr. Spark Plug Socket	2Pcs	16, 21mm
3/8" Dr. Universal Joint	1Pcs	
3/8" Dr. Adapter	1Pcs	3/8"(F) x 1/2"(M)
3/8" Dr. Extension Bar	3Pcs	1-3/4", 3", 6"
3/8" Dr. Ratchet Handle w/Quick Release	x 1Pcs	



611-29Pcs



20(sets), 15.5(kgs), 16(kgs), 1'

Specifications	Pcs	Point No./ Size
1/4" Dr. + Phillips Socket Bit	2Pcs	1, 2
1/4" Dr. - Slotted Socket Bit	3Pcs	4, 5.5, 7
1/4" Dr. * PZ Socket Bit	2Pcs	1, 2
1/4" Dr. ● Hex Socket Bit	5Pcs	3, 4, 5, 6, 8
1/4" Dr. (6PT) Flank Socket	12Pcs	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13
1/4" Dr. Spanner Handle	1Pcs	
1/4" Dr. Extension Bar	1Pcs	2"
1/4" Dr. Universal Joint	1Pcs	
1/4" Dr. Sliding T Bar	1Pcs	
1/4" Dr. Ratchet Handle w/Quick Release	x 1Pcs	



612-61Pcs



5(sets), 23(kgs), 24(kgs), 1.2'

Specifications	Pcs	Point No./ Size
3/8" Dr. + Phillips Socket Bit	3Pcs	1, 2, 3
3/8" Dr. - Slotted Socket Bit	3Pcs	5.5, 6, 5, 8
3/8" Dr. * PZ Socket Bit	3Pcs	1, 2, 3
3/8" Dr. ★ Star Socket Bit	10Pcs	10, 15, 20, 25, 27, 30, 40, 45, 50, 55
3/8" Dr. ● Hex Socket Bit	7Pcs	3, 4, 5, 6, 7, 8, 10
3/8" Dr. (6PT) Flank Socket	18Pcs	6~22, 24mm
3/8" Dr. (6PT) Flank Deep Socket	9Pcs	8, 10~15, 17, 19mm
3/8" Dr. Spark Plug Socket	2Pcs	16mm, 21mm
3/8" Dr. Adapter	1Pcs	3/8"(F) x 1/2"(M)
3/8" Dr. Extension Bar	3Pcs	3", 6", 10"
3/8" Dr. Universal Joint	1Pcs	
3/8" Dr. Ratchet Handle w/Quick Release	x 1Pcs	



613-46Pcs



12(sets), 16(kgs), 17(kgs), 0.92'

Specifications	Pcs	Point No./ Size
1/4" Dr. Phillips Socket Bit	3Pcs	PH1, 2, 3
1/4" Dr. Slotted Socket Bit	3Pcs	SL4, 5.5, 7
1/4" Dr. PZ Socket Bit	3Pcs	PZ1, 2, 3
1/4" Dr. Star Socket Bit	7Pcs	T8, 10, 15, 20, 25, 30, 40
1/4" Dr. Hex Socket Bit	6Pcs	H3, 4, 5, 6, 7, 8
1/4" Dr. (6PT) Flank Socket	13Pcs	4, 4.5, 5, 5.5, 6~14mm
Hex Key Wrenches	4Pcs	1.27, 1.5, 2, 2.5mm
1/4" Dr. Spanner Handle	1Pcs	
1/4" Dr. Extension Bar	2Pcs	50mm, 100mm
1/4" Dr. Flexible Extension	1Pcs	150mm
1/4" Dr. Universal Joint	1Pcs	
1/4" Dr. Sliding T-Bar	1Pcs	
1/4" Dr. Ratchet Handle w/Quick Release	x 1Pcs	



614-94Pcs



3(sets), 19(kgs), 20(kgs), 1.1'

Specifications	Pcs	Point No./ Size
1/2" Dr. (6PT) Flank Socket	17Pcs	10~32mm
1/4" Dr. (6PT) Flank Socket	13Pcs	4~14mm
1/2" Dr. (6PT) Flank Deep Socket	5Pcs	14~22mm
1/4" Dr. (6PT) Flank Deep Socket	8Pcs	6~13mm
1/2" Dr. Spark Plug Socket	2Pcs	16, 21mm
Universal Joint	2Pcs	1/2"Dr., 1/4"Dr.
1/2" Dr. Extension Bar	2Pcs	125mm, 250mm
1/4" Dr. Extension Bar	2Pcs	50mm, 100mm
1/4" Spanner Handle	1Pcs	
1/2" Dr. Adapter for Bit	1Pcs	
Adapter for Extension	1Pcs	3/8"(F) x 1/2"(M)
1/4"Dr. Sliding T-Bar	1Pcs	
Hex Key Wrenches	3Pcs	
Ratchet Handle w/Quick Release	2Pcs	1/2" Dr, 1/4" Dr.
1/4" Dr. Socket Bit	18Pcs	
Bits	16Pcs	



617-24Pcs



3(sets), 16.7(kgs), 17.7(kgs), 0.64'

Specifications	Pcs	Point No./ Size
1/2" Dr. (6PT) Flank Socket	18Pcs	10~24, 27, 30, 32mm
1/2" Dr. Extension Bar	2Pcs	5", 10"
1/2" Dr. Sliding T Bar	1Pcs	
1/2" Dr. Universal Joint	1Pcs	
1/2" Dr. Swivel Handle	1Pcs	15"
1/2" Dr. Ratchet Handle w/Quick Release	x 1Pcs	



619-24Pcs



5(sets), 12.6(kgs), 13.6(kgs), 0.5'

Specifications	Pcs	Point No./ Size
3/8" Dr. (6PT) Flank Socket	17Pcs	6~22mm
3/8" Dr. Extension Bar	2Pcs	3", 6"
3/8" Dr. Sliding T-Bar	1Pcs	
3/8" Dr. Universal Joint	1Pcs	
3/8" Dr. Spark Plug Socket	2Pcs	16, 21mm
3/8" Dr. Ratchet Handle w/Quick Release	x 1Pcs	



620-19Pcs



20(sets), 19.4(kgs), 20.4(kgs), 0.74'

Specifications	Pcs	Point No./ Size
1/4" Dr. (6PT) Flank Socket	13Pcs	4, 4.5, 5, 5.5, 6~14mm
1/4" Dr. Extension Bar	2Pcs	2", 6"
1/4" Dr. Sliding T-Bar	1Pcs	
1/4" Dr. Universal Joint	1Pcs	
1/4" Dr. Spanner Handle	1Pcs	
1/4" Dr. Ratchet Handle w/Quick Release x 1Pcs		



623-40Pcs



10(sets), 19.2(kgs), 20.2(kgs), 0.7'

Specifications	Pcs	Point No./ Size
1/4" Dr. Phillips Socket Bit	3Pcs	1, 2, 3
1/4" Dr. Slotted Socket Bit	3Pcs	4, 5.5, 7
1/4" Dr. Star Socket Bit	6Pcs	T10, T20, T25, T27, T30, T40
1/4" Dr. Hex Socket Bit	4Pcs	3, 4, 5, 6
1/4" Dr. (6PT) Flank Socket	11Pcs	4, 5, 5.5, 6~13mm
1/4" Dr. (6PT) Flank Deep Socket	3Pcs	7, 8, 10
1/4" Dr. Adapter for Extension	1Pcs	3/8"Dr.(F)x1/4"Dr.(M)
1/4" Dr. Extension Bar	2Pcs	2", 6"
Hex Key	3Pcs	1.5, 2, 2.5
1/4" Dr. Flexible Extension	1Pcs	6"
1/4" Dr. Universal Joint	1Pcs	
1/4" Dr. Spanner Handle	1Pcs	
1/4" Dr. Ratchet Handle w/Quick Release x 1Pcs		



628-23Pcs



5(sets), 18.6(kgs), 19.6(kgs), 1.2'

Specifications	Pcs	Point No./ Size
1/2" Dr. (6PT) Flank Socket	15Pcs	10~19, 22, 24, 27, 30, 32mm
1/2" Dr. Spark Plug Socket	2Pcs	16, 21mm
1/2" Dr. Universal Joint	1Pcs	
1/2" Dr. Adapter	1Pcs	3/8"(F)x1/2"(M)
1/2" Dr. Spin Disc	1Pcs	
1/2" Dr. Extension Bar	2Pcs	5", 10"
1/2" Dr. Ratchet Handle w/Quick Release x 1Pcs		



785-39Pcs



6(sets), 16.3(kgs), 17(kgs), 0.7'

Specifications	Pcs	Point No./ Size
1/4" Dr. (6PT) Socket	9Pcs	4~12mm
1/4" Dr. (6PT) Socket	9Pcs	3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
1/4" Spanner Handle	1Pcs	
Adapter	1Pcs	3/8"(F)x1/4"(M)
3/8" Dr. (12PT) Socket	9Pcs	9~14, 16, 17, 19mm
3/8" Dr. (12PT) Socket	7Pcs	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
3/8" Dr. Spark Plug Socket	1Pcs	21mm
3/8" Dr. Extension Bar	1Pcs	3"
3/8" Dr. Ratchet Handle w/Quick Release x 1Pcs		



786-40Pcs



3(sets), 19.4(kgs), 20(kgs), 0.63'

Specifications	Pcs	Point No./ Size
1/2" Dr. (12PT) Socket	18Pcs	10~24, 27, 30, 32mmmm
1/2" Dr. (12PT) Socket	15Pcs	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16" 1-1/8", 1-3/16", 1-1/4"
1/2" Dr. Ratchet Handle	1Pcs	
1/2" Dr. Extension Bar	3Pcs	75, 125, 250mm
1/2" Dr. Sliding T-Bar	1Pcs	250mm
1/2" Dr. Spark Plug Socket	1Pcs	16mm
1/2" Dr. Universal Joint	1Pcs	



788-108Pcs



3(sets), 20.6(kgs), 21.2(kgs), 1.04'

Specifications	Pcs	Point No./ Size
⊕ Phillips Socket Bit	2Pcs	1, 2
⊖ Slotted Socket Bit	3Pcs	4, 5.5, 6.5
✱ PZ Socket Bit	2Pcs	1, 2
✳ Star Socket Bit	7Pcs	8, 10, 15, 20, 25, 27, 30
⦿ Hex Socket Bit	4Pcs	3, 4, 5, 6
Bit 17Pcs	2Pcs	3, 4
	3Pcs	8, 10, 12
	2Pcs	3, 4
	5Pcs	T40, 45, 50, 55, 60
	5Pcs	H7, 8, 10, 12, 14
1/2" Dr. (6PT) Socket	17Pcs	10~22, 24, 27, 30, 32mmmm
1/4" Dr. (6PT) Socket	13Pcs	4, 4.5, 5, 5.5, 6~14mm
1/2" Dr. E Socket	8Pcs	E10, 11, 12, 14, 16, 18, 20, 24
1/4" Dr. E Socket	5Pcs	E4, 5, 6, 7, 8
1/2" Dr. (6PT) Flank Deep Socket	5Pcs	14, 15, 17, 19, 22mm
1/4" Dr. (6PT) Flank Deep Socket	8Pcs	6, 7, 8, 9, 10, 11, 12, 13mm
1/2" Dr. Spark Plug Socket	2Pcs	16, 21mm
Universal Joint	2Pcs	1/2" Dr., 1/4" Dr.
1/2" Dr. Extension Bar	2Pcs	125, 250mm
1/4" Dr. Extension Bar	2Pcs	50, 100mm
1/4" Spanner Handle	1Pcs	
1/2" Dr. Adapter for Bit	1Pcs	
Ratchet Handle w/Quick Release	2Pcs	1/2" Dr., 1/4" Dr.
Adapter for Extension	1Pcs	3/8"(F)X1/2"(M)
1/4" Dr. Sliding T-Bar	1Pcs	
Hex Key	3Pcs	



810-11Pcs



12(sets), 14.4(kgs), 14.9(kgs), 0.64'

Specifications	Pcs	Point No./ Size
1/2" Impact Socket	11Pcs	10~15, 17, 19, 20, 22, 24mm



813-8Pcs



5(sets), 16(kgs), 16.5(kgs), 1'

Specifications	Pcs	Point No./ Size
3/4" Impact Socket	8Pcs	17, 19, 22, 24, 27, 30, 32, 36mm





843-215Pcs



2(sets), 22.3(kgs), 23.3(kgs), 1.7"

Specifications	Pcs	Point No./ Size
1/4" Dr. Socket	13Pcs	4,4.5,5,5.5,6,7,8,9,10,11,12,13,14 mm
3/8" Dr. Socket	10Pcs	10,11,12,13,14,15,16,17,18,19mm
1/2" Dr. Socket	15Pcs	10,11,12,13,14,15,17,19,20,21,22, 24,27,30,32mm
1/4" Dr. E Socket	5Pcs	E4,E5,E6,E7,E8
3/8" Dr. E Socket	6Pcs	E10,E11,E12,E14,E16,E18
1/2" Dr. E Socket	3Pcs	E20,E22,E24
1/4" Dr. Deep Socket	7Pcs	4,5,6,7,8,9,10mm
3/8" Dr. Deep Socket	6Pcs	10,11,12,13,14,15mm
1/2" Dr. Deep Socket	5Pcs	16,17,18,19,22mm
3/8" Spark Plug Socket	1Pcs	18mm
1/2" Spark Plug Socket	2Pcs	16,21mm
Universal Joint	3Pcs	1/4"Dr., 3/8"Dr., 1/2"Dr.
1/4" Dr. Extension Bar	2Pcs	50mm,100mm
3/8" Dr. Extension Bar	1Pcs	75mm
1/2" Dr. Extension Bar	2Pcs	125mm, 250mm
1/4" Dr. Spanner Handle	1Pcs	
Bit Adapter	1Pcs	1/4"Dr. X 6.35 mm Hex
Bit Adapter	1Pcs	3/8"Dr. X 8 mm Hex
Bit Adapter	1Pcs	1/2"Dr. X 8 mm Hex
Ratchet Handle w/Quick Release	3Pcs	(45 Teeth) 1/4" Dr., 3/8" Dr., 1/2" Dr.

Specifications	Pcs	Point No./ Size
Socket Adapter	1Pcs	3/8" (F) X 1/2" (M)
1/4" Dr. Sliding T-bar	1Pcs	115mm
Hex Key	6Pcs	1.5,2,2.5,3,4,5,
1/4" Dr. Socket Bits	30Pcs	SL 4,5,5.5,6,5.8 PH 1,2,3 PZ 1,2,3 Hex 3,4,5,6 Torx 8,9,10,15,20,25,27,30 Tamperproof Torx T8H,T9H,T10H, T15H,T20H,T25H,T27H,T30H
3/8" Dr. Socket Bit	2Pcs	T55, T60
Combination Wrench	12Pcs	28,10,11,12,13,14,15,16,17,18,19, 22mm
Bit Hex 8mm	30Pcs	PH 3,4 Pz 3,4 SI 6,6.5,8 Star 25,27,30,35,40x2,45,50 Hex 5,5.5,6,6.5,7,8 M5,6,8,10
Bit	44Pcs	11Pcs Each in Plastic Bit Holder PH 1,2 PZ1,2 Square 1,2 Star 8,10,15,20,25 SL 4, 5.5, 6.5 Y-Wing 1,2,3 Spanner 4,6,8, X-Set 6,8,10 M 5,6,8 Hex 3,4,5,6 Tamperproof Hex 3,4,5,6 Torx T8H, T10Hx2, T15Hx2, T20Hx2, T25Hx2, T40H
Screwdriver w/Magnet	1Pcs	



848-98Pcs



2(sets), 19.1(kgs), 20.1(kgs), 1.7'

Specifications	Pcs	Point No./ Size
Double End Wrench	8Pcs	6*7, 8*9, 10*11, 12*13, 14*15, 16*17, 18*19, 20*22mm
Tester	1Pcs	Screwdriver Probe Voltage Tester
Screwdriver	5Pcs	PH2*150mm, SL6*150mm, SL3*75mm, PH1*100mm, SL4*100mm
Scissor	1Pcs	Stainless
Spark Plug Socket	2Pcs	1/2" x 16mm, 1/2" x 21mm
Sliding Bar	2Pcs	1/2" x 10" Extension Bar (w/Adapter)
Adapter	1Pcs	1/2" M - 3/8"F
Extension Bar	1Pcs	1/2" Dr. x 5"
Extension Bar	1Pcs	1/4" Dr. x 2"
Ratchet Driver	1Pcs	1/4" Dr. x 72 Teeth
Ratchet Driver	1Pcs	1/2" Dr. x 72 Teeth
Hammer	1Pcs	Carbon Steel
Sliding Handle	1Pcs	1/4" Dr. x 110mm
Universal Joint	2Pcs	1/2" Dr. & 1/4" Dr.
Bit Adapter	1Pcs	1/2" Dr. x Hex 8mm

Specifications	Pcs	Point No. / Size
Tape Measure	1Pcs	5M*19mm, printed cm /mm Yellow Tape, With Magentic Jook
Combination Plier	1Pcs	6" , CR-V Steel
Diagonal Cutting Plier	1Pcs	6", CR-V Steel
Locking Plier	1Pcs	10", CR-V Steel
Spanner Handle	1Pcs	1/4" - 1/4"
Hex Allen Key	9Pcs	Ball Head, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, With Plastic Holder
Socket, 1/2"	17Pcs	10,11,12,13,14,15,16,17,18,19,20, 21,22,24,27,30,32mm
Socket, 1/4"	13Pcs	4, 4.5, 5, 5.5, 6,7,8,9,10,11,12,13, 14mm
Bits H 8mm x 30mm	16Pcs	PH1, 2, 3, PZ1, 2, 3, SL4, 5.5, 6.5, H 4, 5, 6, 7, 8, 10, 12
Star Tamper Proof	9Pcs	T10, T15, T20, T25, T30, T40, T45, T50, T55

856- 76Pcs



4(sets), 23.3(kgs), 24.3(kgs), 1.74'

Specifications	Pcs	Point No./ Size
1/4" Socket	9Pcs	4, 5, 6, 7, 8, 9, 10, 11, 12
1/2" Socket	13Pcs	10, 11, 12, 13, 14, 15, 16, 17, 19, 22, 24, 27, 30, 32
1/2" Spark Plug Socket	1Pcs	21mm
Combination Wrench	11Pcs	7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19
Hex Key	7Pcs	1.5, 2, 2.5, 5, 6, 8, 10
Extension Bar	1Pcs	1/4" Dr. x 3"
Extension Bar	2Pcs	1/2" Dr. x 5" & 10"
Sliding T-Bar	1Pcs	1/4" Dr. x 115mm
Ratchet Wrench	2Pcs	1/4" Dr. & 1/2" Dr.
Universal Joint	2Pcs	1/4" Dr. & 1/2" Dr.
Flexible Wrench	4Pcs	8 x 9, 10 x 11, 12 x 13, 14 x 15
Bit Adapter	1Pcs	PH 0, 1, 2, 3
H1/4" Bit	22Pcs	PZ 1, 2, 3 SL 3, 4, 5.5, 7 H 2, 3, 4, 5, 6 T 10, 15, 20, 25, 30 & Socket Adapter



6001- 14Pcs

Specifications	Pcs	Point No./ Size
3/4" Dr. Socket	10Pcs	22, 24, 27, 30, 32, 36, 38, 41, 46, 50
3/4" Dr. Ratchet Driver	1Pcs	20"
3/4" Dr. Extension Bar	2Pcs	4" & 8"
3/4" Dr. Sliding Handle	1Pcs	18"



HOME  SOON

PLIERS





MP-90

10(sets)



200(sets), 11(kgs), 13(kgs), 1.8'

Specifications

4 1/2" Side Cutter Plier (3.0mm Thickness)
Suitable for copper wire below dia 1.3mm.
Do not use to cut steel wire.

P.A.T

Duplex color
Protective TPR grip
New small precision equipment



MP-90A

10(sets)



200(sets), 11(kgs), 13(kgs), 1.8'

Specifications

4 1/2" Side Cutter Plier (3.0mm Thickness)
Suitable for copper wire below dia 1.0mm.
Do not use to cut steel wire

P.A.T

Duplex color
Protective TPR grip
New small precision equipment



MP-91

10(sets)




200(sets), 11(kgs), 13(kgs), 1.8'

Specifications

5" Long Nose Plier (3.0mm Thickness)
For easy operation in deep and narrow working space.
Flat Jaw

P.A.T

Duplex color
Protective TPR grip
New small precision equipment



MP-92

10(sets)



200(sets), 11(kgs), 13(kgs), 1.8'

Specifications

5" Flat Nose Plier-Slim (3.0mm Thickness)
For fine product assembly and bending angles.
Flat Jaw

P.A.T

Duplex color
Protective TPR grip
New small precision equipment



MP-93

10(sets)



200(sets), 11(kgs), 13(kgs), 1.8'

Specifications

5" Bent Nose Plier (3.0mm Thickness)
Bent nose with 45 deg. angle for easy operation in tight working space.
Flat Jaw

P.A.T

Duplex color
Protective TPR grip
New small precision equipment



MP-94

10(sets)



200(sets), 11(kgs), 13(kgs), 1.8'

Specifications

5" Round Nose Plier (3.0mm Thickness)
For bending fine products and operating in small precision equipments.
For curving wire.

P.A.T

Duplex color
Protective TPR grip
New small precision equipment



MP-251E

10(sets) 200(sets), 22(kgs), 23(kgs), 2.5'

Specifications

6" Long Nose Plier (3.0mm Thickness)
For easy operation in deep and narrow working space.
Serrated Jaw for easy pick up.

MP-252E

10(sets) 200(sets), 22(kgs), 23(kgs), 2.5'

Specifications

6" Flat Nose Plier (3.0mm Thickness)
For fine product assembly and bending angles.
Serrated Jaw

MP-253E

10(sets) 200(sets), 22(kgs), 23(kgs), 2.5'

Specifications

6" Bent Nose Plier (3.0mm Thickness)
For bending fine products and operating in small precision equipments.
Serrated jaw for easy pick up.

MP-254E

10(sets) 200(sets), 22(kgs), 23(kgs), 2.5'

Specifications

5 1/2" Round Nose Plier (3.0mm Thickness)
For bending fine products and operating in small precision equipments.

MP-256E

10(sets) 200(sets), 20(kgs), 21(kgs), 2.5'

Specifications

5" Side Cutter Plier-Slim (2.5mm Thickness)
Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.
Serrated Jaw

MP-257E

10(sets) 200(sets), 21(kgs), 22(kgs), 2.5'

Specifications

5" Side Cutter Plier (2.5mm Thickness) With Safe Clip-Slim
Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

With safety clip
P.A.T.

MP-258E

10(sets) 200(sets), 25(kgs), 26(kgs), 2.5'

Specifications

5" Side Cutter Plier (3.0mm Thickness)
Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

MP-260E

10(sets) 200(sets), 29(kgs), 30(kgs), 2.5'

Specifications

6" Wire Stripper Plier (3.0mm Thickness)
For dia. 0.2-0.8mm wires.
Serrated Jaw With cutter.

MP-261E

10(sets) 200(sets), 29(kgs), 30(kgs), 2.5'

Specifications

6" Wire Stripper Plier (3.0mm Thickness)
For dia. 0.2-0.8mm wires.
Serrated Jaw With cutter.

Duplex color
Protective TPR grip

Duplex color
Protective TPR grip

Duplex color
Protective TPR grip

Duplex color
Protective TPR grip

Duplex color
Protective TPR grip

Duplex color
Protective TPR grip

Duplex color
Protective TPR grip

Duplex color
Protective TPR grip

Duplex color
Protective TPR grip

MP-10

10(sets) 200(sets), 21(kgs), 22(kgs), 2.5'

Specifications

4 1/2" Side Cutter Plier
Suitable for soft wire below dia. 1.3mm.
Do not use to cut steel wire.



MP-10A

10(sets) 200(sets), 21(kgs), 22(kgs), 2.5'

Specifications

4 1/2" Side Cutter Plier
For wire below dia. 1.3mm.
Thin cutting edge.



MP-11

10(sets) 200(sets), 21(kgs), 22(kgs), 2.5'

Specifications

5 1/2" Long Nose Plier
Serrated jaws for easy pick up and with cutter.



MP-11A

10(sets) 200(sets), 21(kgs), 22(kgs), 2.5'

Specifications

5 1/2" Long Nose Plier
None cutter.



MP-12

10(sets) 200(sets), 21(kgs), 22(kgs), 2.5'

Specifications

5 1/2" Flat Nose Plier
Smooth jaws come to a fine even paper.
For fine products assembly and bending angles.
Flat Jaw



MP-13

10(sets) 200(sets), 21(kgs), 22(kgs), 2.5'

Specifications

5 1/2" Bent Nose Plier
Bent nose with 45 deg. angle for easy operation in tight working space.
Serrated jaws for easy pick up.
Serrated Jaw



MP-14

10(sets) 200(sets), 23(kgs), 24(kgs), 2.5'

Specifications

5 1/2" Round Nose Plier
For bending fine products and operating in small precision equipments.
For curving wire.





HOME [®] SOON

Home Soon Enterprise Co., Ltd. 宏舜企業股份有限公司

No. 167, Lane 680, Sec.1 Hsinan Rd., Wu-Jih Dist., Taichung City, 41464 Taiwan.

Tel: 886-4-2335-3817, Fax: 886-4-2335-3609 home.soon@msa.hinet.net

www.homesoon.com.tw www.hs-handtool.com.tw

